

PSAMMONALIA

Newsletter of the International Association of Meiobenthologists



Number 54

November 1981

PSAMMONALIA

Newsletter of the International Association of Meiobenthologists

ROBERT P. HIGGINS

Editor

Department of Invertebrate Zoology
National Museum of Natural History
Smithsonian Institution
Washington, DC 20560, USA

INTERNATIONAL ASSOCIATION OF MEIOBENTHOLOGISTS

Executive Committee

Chairman

ROBERT P. HIGGINS

Department of Invertebrate Zoology, National Museum of Natural History, Smithsonian Institution,
Washington, DC 20560, USA

Treasurer

LEE W. POLLOCK

Department of Zoology, Drew University, Madison, NJ 07940, USA

Committee members

PHILIPPE BODIN

Laboratoire d'Océanographie Biologique, Université de Bretagne Occidentale, 29283 Brest Cedex, France

JOHN S. GRAY

Institut for Marin Biologi, Universitet I. Oslo, Postboks 1064, Blindern, Oslo 3, Norway

EIKE HARTWIG

Zoologisches Institut und Museum, Universität Hamburg, Martin-Luther-King-Platz 3, 2000 Hamburg 13, FRG

WILLIAM D. HUMMON

Department of Zoology and Microbiology, Ohio University, Athens, OH 45701, USA

WOLFGANG STERRER

Bermuda Biological Station for Research, St. Georges West, Bermuda

Board of Correspondents

Correspondents

SUSAN S. BELL

Department of Biology, University of South Florida, Tampa, FL 33620, USA

BRUCE C. COULL

Belle E. Baruch Institute for Marine Biology and Coastal Research, University of South Carolina,
Columbia, SC 29208, USA

BEATE SOPOTT-EHLERS

II. Zoologisches Institut und Museum der Universität, Berliner Strasse 28, D-34 Göttingen, FRG

CHRISTER ERSEUS

Department of Zoology, University of Göteborg, Fack, S-4000 33 Göteborg, Sweden

W. DUANE HOPE

Department of Invertebrate Zoology, National Museum of Natural History, Smithsonian Institution,
Washington, DC 20560, USA

TATSUNORI ITO

Zoological Institute, Faculty of Science, Hokkaido University, Sapporo, Japan

ANTON MCLACHLAN

Department of Zoology, University of Port Elizabeth, PO Box 1600, Port Elizabeth 6000, Republic of
South Africa

TERESA RADZIEJEWSKA

Institute of Fisheries Oceanography, Ul. Kazimierza Krolewicza 4, 71-550 Szczecin, Poland

FRANZ RIEMANN

Institut für Meeresforschung, Am Handelshafen 12, 285 Bremerhaven-G, FRG

Membership in the Association is open to anyone who wishes to join. There are no prerequisites. Annual dues of \$4.00, payable in US dollars by international money order or draft on a US bank, include subscription to PSAMMONALIA. Payment for one year in advance is acceptable. Payment should be made to THE INTERNATIONAL ASSOCIATION OF MEIOBENTHOLOGISTS and sent to the Treasurer: Lee W. Pollock, Department of Zoology, Drew University, Madison, NJ 07940, USA.

PSAMMONALIA is issued quarterly in February, May, August and November.

This document is not part of the scientific literature and is not to be cited, abstracted or reprinted as a published document.

FROM THE EDITOR

This issue of PSAMMONALIA, Number 54 marks 15 years since I was privileged to produce PSAMMONALIA Number 1. So for the second time I relinquish (with even greater relief!) the editorship, this time to my good friend and able colleague Carlo Heip.

Several people deserve considerable credit for the production of these last eight issues of the newsletter. My research assistant, Mrs. Marie Wallace, has typed every issue, designed and maintained the computer membership list, and helped with the arduous task of searching the literature for appropriate citations. In this latter task, Mrs. Renee McGinnis has also been most helpful. My wife, Gwen, has spent many hours putting on postage, folding and/or stapling issues and her help is also gratefully acknowledged. Mr. and Mrs. Clyde Davis of "Kwik-Kopy Printing" near my residence in Vienna, Virginia have been extremely efficient in the reproduction of these eight issues at a cost which has been most considerate of our limited budget.

Finally, I acknowledge the help of the members of the Executive Committee, especially Lee Pollock, who has been Treasurer for the past four years. The important contribution of the members of the Board of Correspondents is most gratefully acknowledged. Without an effective Board, the most singularly important purpose of this newsletter, the Recent Literature section, would fail.

During the tenure of my office, several items of change have been suggested (PSAMMONALIA, No. 52; May, 1981) that I again wish to call to the attention of the membership. I pass these proposals and others listed below to the new Chairperson and Editor for action.

Most of the rationale for the following recommendations stem from the time it takes for an issue to reach members and the time needed for their proper response.

Article 11, Nominations, should be changed, in part, to read: "Nominations for any officer shall be made in writing by any two members of the Association not later than April (July) 1st in an election year."

Article 12, Elections, should be changed, in part, to read: "Should elections of Officers be necessary, these will be held by mail ballot. The Chairperson, in his/her capacity as Editor, shall mail ballots to each member with the May (in an issue of the newsletter before October 1st) issue in an election year. ...the Chairperson shall count and record the votes received by November 1st and include the results in the November issue of the newsletter."

Article 15, Amendments, should have the following statement added: "Proposed constitutional amendments must be included in a newsletter 6 months in advance of balloting in order to receive and include in the balloting issue any comments received during this interim. The close of receipt for ballots shall be the first day of the sixth month following the balloting issue and the results shall be included in that month's newsletter."

Bylaw 1. Annual dues, should be changed, in part, to read: "Annual dues for Regular Members shall be determined by the council. The rate for Sustaining

Members shall be twice that of Regular Members and five times that of Regular Members of Patron Members.

This latter provision is necessary because of the length of time necessary to amend the annual dues rate at a time when the financial management of the newsletter is subject to significant problems because of the current inflation rate.

FROM (OR ABOUT) THE MEMBERS

Referring to William Hummon's comment concerning the confusion created by the use of unambiguous designations to express meiofaunal abundances, (*Psammonalia* 53, August 1981, p.2), could not x^2 cm be used to express x sq. cm. and x cm² be used to express x cm. sq.? Thus, 10^2 cm = 3.16 cm x 3.16 cm and 10 cm² = 10 cm x 10 cm. This may go against the established "Grain" but it's one solution.

--Bruce E. Hopper

VIMCO

Carlo Heip will be organizing the Fifth (V) International Meiofauna Conference which will be held in Ghent, Belgium probably 15-19 August 1983.

Further announcements concerning the organization committee and preliminary details of this meeting will be in a forthcoming issue of the newsletter.

ANNOUNCEMENT

J. L. Barnard's Handbook, "The Families and Genera of the Marine Gammaridean Amphipoda," originally issued as U. S. National Museum Bulletin 271 in 1969 and out of print for some years, will be reprinted by the Smithsonian Institution under the auspices of the Waldo L. Schmitt Memorial Fund. Orders for this volume should include payment of \$15 in U.S. currency (checks or money orders only, please), and should be sent to:

Barnard Reprint
NHB Stop 163
Smithsonian Institution
Washington, DC 20560 USA

CRUSTACEAN GROWTH: A SYMPOSIUM AND PUBLICATION

A symposium, "Factors Affecting Crustacean Growth," has been approved by the American Society of Zoologists for the ASZ meetings in Louisville, Kentucky (27-30 December 1982). It will be sponsored by the Ecology Division of ASZ and co-sponsored by the Crustacean Society and the Invertebrate Zoology Division of ASZ. Arrangements have also been made to publish the best of the symposium papers as well as related papers as a single volume on crustacean growth, insuring a broad coverage of the subject. Further input is welcome: contact Adrian M. Wenner, University of California, Santa Barbara, Marine Science Institute, Santa Barbara, California 93106, USA. If writing, give specifics, a phone number, and the best time to call. For those who prefer to call, the best time is between 0700 and 0900 Pacific time, Monday through Saturday. The telephone number is (805) 961-2838; messages can be left at (805) 961-3764.

NEW OR REINSTATED MEMBERS

Anthony J. Amato	82	P.S. Gooch	FC	Yun Hong Sung	82
Dept Biology	RM	Commonwealth Inst Helminology		Dept Marine Biology	RM
Livingston College		The White House		Natl Fisheries Univ Busan	
Rutgers Univ.		103 St Peter's Street		Busan 601-01 KOREA	
New Brunswick, NJ 08903 USA		St Albans, Herts AL1 3EW UK			
Barbara C. Boyer	82	Library	82	T. K. Van Wey	82
Dept Biol Sci	RM	Dept Fisheries & Oceans	RM	Northeastern Univ	RM
Union College		Pacific Biol Sta		Mar Sci Inst	
Schenectady, NY 12308 USA		Nanaimo, BC V9R 5K6		East Point, Nahand, MA 01903	
		CANADA		USA	

NEW OR CORRECTED ADDRESSES

Daniel M. Alongi	83	Mariam Goddard	82	O. Pfannkuche	84
Dept Zoology	RM	Greatfield Close,	RM	Inst Oceanogr Sci	RM
Univ Georgia		New Road		Brook Road	
Athens, GA 30602 USA		Shiplake, Henley-on-Thames		Wormley, Godalming	
		Oxon RG9 3LA UK		Surrey GU8 5UB UK	
Leon Cammen	82	Tatsunori Ito	81	John Rae	81
Bigelow Laboratory	RM	Seto Mar Biol Lab	RM	Dept Nat Sciences	RM
West Boothbay Harbor,		Kyoto Univ		Florida Inst Technology	
ME 04575 USA		Shirahama		Jensen Beach, FL 33457 USA	
Elena Clasing	81	Wakayama 649-22 JAPAN		S. Tyler	82
Chacabuco Nr. 600	RM			Dept Zoology	SM
Valdivia, CHILE		M. Susan Ivester	83	Univ Maine	
		US Army Engineer	RM	Orono, ME 04473 USA	
Dan Danielopol	81	Dist Mobile			
Inst. Limnologie	RM	PO Box 2288			
Osterreich Akad		Mobile, AL 36628 USA			
Wissenschaftlen Abt. Mondsee					
A-5310 Gaisberg 116 AUSTRIA		Miranda MacQuitty	81		
		Dept Entomology	RM		
		Natl Mus Nat Hist			
		Smithsonian Institution			
		Washington, DC 20560 USA			

RECENT LITERATURE

- ANKAR, S. & E. SIGVALDADOTTIR. 1981. On the food composition of Halicryptus spinulosus von Siebold. Ophelia, 20(1):45-51.
- ANNAPURNA, C. & D.V. RAMA SARMA. 1981. Life cycle of Tanella indica Annapurna & Rama Sarma, 1979, A marine benthic podocopan ostracod. Crustaceana, 40(3):235-241.
- ASSOCIATION OF APPLIED BIOLOGISTS SYSTEMATICS ASSOC. 1981. Concepts in Nematode Systematics, Abstracts of papers presented at a meeting, organised by Assoc. of Applied Biologists (Nematology Group) and the Systematics Association held at Corpus Christi College, Cambridge on 2nd, 3rd and 4th Sept. 1981. Assoc. of Applied Biologists, 1-30.
- BATTISH, S.K. 1981. Freshwater Ostracoda of the subfamily Cyprinotinae from Punjab, India, with the description of eight new species. J. nat. Hist., 15:645-669.
- BELOGUROV, O.I. & L.S. BELOGUROVA. 1979. Morphology of three species of Nematodes of the genus Adoncholaimus Filipjev, 1918 and establishment of Admirandus multicavus Gen. and Sp. N. (Nematoda: Oncholaimidae). Pp. 37-63.
- BENWELL, M.P. 1981. A new species of Gonionchus (Nematoda, Xyalidae) from the Firth of Clyde, with a redescription of Enploides spiculohamatus Schulz (Nematoda, Enplidae). Cah. Biol. Mar., 22(2):177-184.
- BERGMANS, M. 1981. A demographic study of the life cycle of Tisbe furcata (Baird, 1837) (Copepoda: Harpacticoida). J. mar. biol. Ass. U.K., 61: 691-705.
- T BINDA, M.B., G. PILATO & H. DASTYCH. 1980. Descrizione de una Nuova Specie de Eutardigrado: Doryphoribius macrodon. Animalia, 7(1/3):23-27.
- BIRD, A.F. 1980. The nematode cuticle and its surface. Pp. 213-236 in B.M. Zuckerman, ed.; Nematodes as Biological Models, Vol. 2. Aging and other Model Systems. New York: Academic Press.
- X BONSDORFF, E. 1981. The Antonio Gramsci oil spill impact on the littoral and benthic ecosystems. Mar. Poll. Bull., 12(9):301-305.
- BOUWMAN, L.A. 1981. The meiofauna of the Ems estuary. Pp. 153-157 in N. Dankers, H. Kuehl & W.J. Wolff, ed., Invertebrates of the Wadden Sea.
- BURNETT, B.R. 1981. Quantitative sampling of nanobiota (microbiota) of the deep-sea benthos. III. The bathyla San Diego Trough. Deep-Sea Res., 28A(7):649-663.
- BUSH, L.F. 1981. Marine flora and fauna of the northeastern United States. Turbellaria: Acoela and Nemertodermatida. - NOAA Tech. Report. NMFS Circular 440, 70 pp.
- CALCOEN, J. & D. DEKEGEL. 1981. Electron microscope observations on the Demanian system of female Metoncholaimus denticaudatus Schuurmanus-Stekhoven and Adam, 1931 (Nematoda). Nethl. J. Zool., 30(3):516-526.
- CERVELLI, M. & G. FAVA. 1980. Carico genetico in Tisbe (Copepoda, Harpacticoida). III. I. bulbisetosa della sacca di Scardovari. Acc. naz. Lincei., Ser. 8, 68:343-351.
- CHESUNOV, A.V. 1976. Free-living nematodes from the shallows of the southeastern Caspian Sea. Pp. 268-273 in Kompletsnye issledovaniya Kaspiiskogo Morya. Vypusk 5.
- CHESUNOV, A.V. 1980. New data on free-living nematodes from the superfamily Monhysteroidea in the Caspian Sea. Zool. Zh., 59(7):973-985.
- COULL, B.C. & J. GRANT. 1981. Encystment discovered in a marine copepod. Science, 212:342-344.
- CROLL, N.A., A.A.F. EVANS & J.M. SMITH. 1975. Comparative nematode photoreceptors. Comp. Biochem. Physiol., 51A:139-143.
- DANKERS, N., H. KUEHL, & W.J. WOLFF. 1981. Report 4 of the Wadden Sea Working Group: Invertebrates of the Wadden Sea. ISBN 90 6191 054 4. 221 pp.
- DASTYCH, H. 1981. Macrobiotus kurasi sp. nov., a new species of Tardigrada from mountains of Uganda. Bull. Acad. Pol. Sci., 28(10-11):654-657.
- DECREAEMER, W. 1979. Morphology of Tricoma absidata lizardiensis subsp. nov. (Nematoda-Desmoscolecida) with a note on its ontogeny. Biol. Jb. Dodonaea, 46:101-114.
- DECREAEMER, W. 1979. Taxonomic problems within the Desmoscolecida (Nematoda). Ann. Soc. R. Zool. Belg. 108(1-2):13-20.
- DEDECKKER, P. 1981. Taxonomic notes on some Australian ostracods with description of new species. Zool. Scripta, 10(1):37-56.
- DE GRISSE, A. 1975. The ultrastructure of some ciliary receptors in the cephalic region of Tylenchids (Nematoda). Meded. Rijksfac. Landbouwwet. Gent, 40:473-487.
- DE GRISSE, A. 1977. The ultrastructure of the nerves in the cephalic region of 22 species belonging to 19 tylenchid genera. iv. + 420 pp. (Thesis).
- DE GRISSE, A., S. NATASMITA & M. B'CHIR. 1979. L'ultrastructure des nerfs de la region cephalique chez Aphelenchoides fragariae (Nematoda: Tylenchida). Rev. Nematol. 2(2): 123-141.
- DINET, A. 1981. Description of two new Pontostratoites species from the deep sea (Crustacea, Copepoda, Harpacticoida). Bull. Soc. Zool. France, 106(2):201-212.

Recent Literature (Continued)

- DOE, D.A. 1981. Comparative ultrastructure of the pharynx simplex in Turbellaria. *Zoomorph.*, 97: 133-192.
- DYE, A.H. & J.P. FURSTENBURG. 1981. Estuarine meiofauna. Pp. 179-186 in J.H. Day, ed., Estuarine Ecology, with Particular Reference to Southern Africa. Rotterdam: A. A. Balkema. 471 pp.
- EMBERTON, K.C. 1981. Season-depth relations in subtidal meiofauna of Cape Cod Bay. *Estuaries*, 4(2):121-126.
- ERSEUS, C. 1981. Marine biological investigations in the Bahamas. 20. A new species of Jamiesoniella (Oligochaeta, Tubificidae). *Sarsia*, 66(2): 161-162.
- ERSEUS, C. 1981. Taxonomic revision of the marine genus Heterodrilus Pierantoni (Oligochaeta, Tubificidae). *Zool. Scripta* 10:111-132.
- ERSEUS, C. & B.G. M. JAMIESON. 1981. Two new genera of marine Tubificidae (Oligochaeta) from Australia's Great Barrier Reef. *Zool. Scripta*, 10:105-110.
- ES, F.B. VAN, M.A. ARKEL, L.A. BOWMAN & H.G.J. SCHRODER. 1981. Influence of organic pollution on bacterial, macrobenthic and meiobenthic populations in intertidal flats of the Dollard. *Neth. J. Sea Res.*, 14:288-304.
- FAVA, G. 1980. Osservazioni ecologiche sulle specie di Tisbe (Copepoda, Harpacticoida) nella laguna di Marano. *Atti. Ist. Veneto Sci.*, 88: 39-51.
- FRICKE, A.H., H.F. HENNIG & M.J. ORREN. 1981. Relationship between oil pollution and psammolittoral meiofauna density of two South African beaches. *Mar. Environ. Res.*, 5:59-77.
- GAGARIN, V.G. 1981. Two new species of free-living nematodes of the order Dorylaimida from the Kairakkumsky Water reservoir. *Zool. Zh.*, 60(3): 453-455. (In Russian).
- GARGARIN, V.G. & L.V. LEMZINA. 1981. Two new species of free-living nematodes of the genus Cylindrotheristus from the Issyk-Kul Lake. *Zool. Zh.*, 60(5):773-775 (In Russian).
- GAL'TSOVA, V.V. & T.A. PLATONOVA. 1980. Distribution of meiofauna on the muddy-sand beach of Dalnezelenetskaya Bay, Barents Sea, Russian SFSR, USSR. *Biol. Morya (Vladivost)*, 0(2):15-20. (In Russian with English summary).
- GEUDES, M.C., P. DEDECKER, N.D. WILLIAMS, D.W. MORTON & M. TOPPING. 1981. On chemistry of some salt lakes and ponds in Yugoslavia. *Hydrobiol.*, 81/82:201-202.
- GERAERT, E. 1981. The female reproductive system in nematode systematics. *Ann. Soc. R. Zool. Belg.*, 110(2):73-86.
- GIERE, O. 1981. The gutless marine oligochaete Phalldrilus leukodermatus. Structural studies on an aberrant Tubificid associated with bacteria. *Mar. Ecol. Prog. Ser.*, 5:353-357.
- GIERE, O.W. & N.W. RISER. 1981. Questidae - polychaetes with oligochaetoid morphology and development. *Zool. Scripta*, 10:95-103.
- GRAY, J.S. 1981. The Ecology of Marine Sediments. Cambridge: Cambridge Univ. Press. xi + 185 pp.
- GROZA-ROJANCOVSKI, E. 1973. Contributions to the study of free-living nematodes from the Black Sea. *Trav. Mus. Hist. Nat. "Grigore Antipa"* 13:3-25.
- HASPELAGH, G. 1979. Superfamily Ceramonematoidea (Cobb, 1933) general morphology. *Ann. Soc. R. Zool. Belg.* 108(fas.1-2):65-74.
- HENDELBERG, M. 1979. Occurrence and taxonomic significance of additional cephalic setae in some Linhomoeidae (Nematoda). *Ann. Soc. R. Zool. Belg.* 108(fas. 1-2):57-65.
- HIRUTA, S. 1981. A new species of the genus Scleroconcha Skogsberg from Hokkaido (Ostracoda: Myodocopina). *J. Hokkaido Univ. Educ., Sect. 2 B*, 31(2):59-71.
- HOCKIN, D.C. 1981. Gurr's neutral mounting medium: a suitable mountant for Harpacticoida (Copepoda). *Crustaceana*, 40:222-223.
- HOGUE, E.W. & C.B. MILLER. 1981. Effects of sediment microtopography on small-scale spatial distribution of meiobenthic nematodes. *J. Exp. Mar. Biol. Ecol.* 53:181-191.
- HOPPER, B.E. 1977. Maryllynnia, a new name for Marilynnia of Hopper, 1972. *Zool. Anz.*, 198(1/2): 139-140.
- HOPPER, B.E. & A.C. TARJAN. 1978. Supplement for the Year 1973 to Nomenclatorial Compilation of Plant and Soil Nematodes. Biosystematics Research Institute Research Branch, Agriculture Canada, Ottawa, Ontario. 21 pp.
- HOWES, B.L., R.W. HOWARTH, J.M. TEAL & J. VALIELA. 1981. Oxidation-reduction potentials in a salt marsh: spatial patterns and interactions with primary production. *Limnol. Oceanogr.*, 26:350-360.
- HUMES, A.G. 1981. A new species of Tegostes (Copepoda: Harpacticoida) associated with a scleractinian coral at Enewetak Atoll. *Proc. Biol. Soc. Wash.*, 94(1):254-263.
- HUMES, A.G. 1981. Harpacticoid copepods associated with Cnidaria in the Indo-West Pacific. *J. Crust. Biol.*, 1(2):227-240.
- HUMMON, W.D. 1981. Extraction by sieving: A biased procedure in studies of stream meiobenthos. *Trans. Amer. Micros. Soc.*, 100(3):278-284.

Recent Literature (Continued)

- IKEN, H.H. 1979. Ultrastructure of the cuticle of Sabatieria (Nematoda, Chromadorida) and its phylogenetic significance. Ann. Soc. R. Zool. Belg., 108(fasc 1-2):77-80.
- ISHIDA, T. 1981. A preliminary account of the freshwater harpacticoid copepods of Hokkaido, northern Japan. Sci. Rep. Hokkaido Salmon Hatchery, 35:33-56. (In Japanese).
- ITO, T. 1981. Descriptions and records of marine harpacticoid copepods from Hokkaido, VIII. J. Fac. Sci. Hokkaido Univ., 22 (Ser. 6):422-450.
- JENSEN, P. 1979. A revision of the microlaimidae, description of the Molgolaaimidae n. fam. and remarks on the systematic position of Paramicrolaimus (Free-Living Nematodes). Ann. Soc. R. Zool. Belg., 108(Fasc 1-2):23.
- JENSEN, P. 1981. Species, distribution and a microhabitat theory for marine mud dwelling Comesomatidae (Nematoda) in European waters. Cah. Biol. Mar., 22(2):231-241.
- JIMENEZ GUIRADO, D. 1975. Ruamowhitia halophila, sp. n. de la costa de Almeria con observaciones sobre el genero Ruamowhitia Yeates, 1967 (Nematoda: Adenophorea). Cuad. Cienc. Biol., 4(2):159-165.
- KAUTSKY, H., B. WIDBOM & F. WULFF. 1981. Vegetation macrofauna and benthic meiofauna in the phytal zone of the Archipelago of Lulea-Bothnian Bay. Ophelia, 20(1):53-77.
- KITAZIMA, Y. 1981. Three new species of the genus Phyllopodopsyllus (Copepoda, Harpacticoida) from the Inland Sea of Japan. Publ. Seto Mar. Biol. Lab., 26:393-424.
- KO, R.C. 1980. A simple emthod of mounting small nematodes for en face study using the scanning electron microscope. Z. Parasitenkd., 64(1):117-118.
- KOLASA, J. 1979. Ecological and faunistical characteristics of Turbellaria in the eutrophic Lake Zbechy. Acta Hydrobiol. Krakow, 21:435-459.
- KOLASA, J. 1981. A new genus of Protoplanellinae (Turbellaria, Typhloplanidae) from a submontane stream. Bull. Acad. Polon. Sci. Ser. Sci. Biol., 28:349-352.
- KOLASA, J. 1981. New Protoplanellinae (Turbellaria, Typhloplanidae) from semiterrestrial habitats in Poland. Bull. Acad. Polon. Sci. Ser. Sci. Biol., 28:603-609.
- KOLASA, J. 1981. New semiterrestrial species of Protoplanellinae (Turbellaria, Typhloplanidae) associated with a submontaine stream. Bull. Acad. Polon. Sci. Ser. Sci. Biol., 28:611-616.
- KOLASA, J. 1981. New Typhloplanidae (Turbellaria) found in a submontane stream in Apennines. Bull. Acad. Polon. Sci. Ser. Sci. Biol., 28:617-623.
- KORNICKER, L.S. 1981. Benthic marine Cypridinoidea from Bermuda (Ostracoda). Smith. Contr. Zool., 331:15.
- KUIPERS, B.R., P.A. DE WILDE & F. CREUTZBERG. 1981. Energy flow in a tidal flat ecosystem. Mar. Ecol. Prog. Ser., 5(2):215-222.
- LEWBEL, G.S., A. WOLFSON, T. GERRODETTE, W.H. LIPPINCOTT, J.L. WILSON, & M.M. LITTLER. Shallow-water benthic communities on California's outer continental shelf. Mar. Ecol. Prog. Ser., 4:159-168.
- LONSDALE, D.J. 1981. Influence of age-specific mortality on the life history traits of two estuarine copepods. Mar. Ecol. Prog. Ser., 5:333-340.
- LORENZEN, S. 1978. New and known gonadal characters in free-living nematodes and the phylogenetic implications. Z. F. Zool. Systematik. u. Evolutionsforschung., 16(2):108-115.
- LORENZEN, S. 1979. The system of the Monhysteroidea (Nematodes) a new approach. Ann. Soc. R. Zool. Belg., 108(fasc. 1-2):21-22.
- LORENZEN, S. 1981. Bau, Anordnung und postembryonale Entwicklung von Metanemen bei Nematoden der Ordnung Enoplida. Veröff. Inst. Meeresforsch. Bremerh., 19:89-114. (English Abstract).
- MAERTENS, D. & A. COOMANS. 1979. The function of the Demanian System and an atypical copulatory behavior in Oncholaimus oxyuris. Ann. Soc. R. Zool. Belg., 108(fasc. 1-2):83-87.
- MALAKHOV, V.V. 1977. Postembryonic development of the free-living marine nematode Pontonema vulgare Bast. Biol. Bel. Morya, 4:148-153.
- MALAKHOV, V.V. 1977. The structure of skin muscular sack of some free-living nematodes. Doklady Akad. Demii Nauk SSR, 236(3):766-767.
- MALAKHOV, V.V. 1978. Structure of head end nervous system of the free-living marine nematode Pontonema vulgare. Zool. Zh., 57(5):645-652.
- MALAKHOV, V.V. & M.I. AKIMUSHKIVA. 1976. Embryonic development of the free-living marine nematode Enoplus brevis. Zool. Zh., 55(12):1788-1798.
- MALAKHOV, V.V. & V.G. CHERDANTSEV. 1977. Early stages of embryonic development of the free-living marine nematode Anoplostoma vivipara. Biol. Bel. Morya, 4:154-161.
- MCLACHLAN, A. et. al. 1981. Sand beach energetics: an ecosystem approach towards a high energy interface. Est. Cstl. Shelf Sci., 13:11-26.
- MERRIMAN, J.A. 1981. Cuticular structures of the priapulid Halicryptus spinulosus: a scanning electron microscopical study. Zoomorphology, 97:285-295.
- MIELKE, W. 1981. Interstitielle Ectinosomatidae (Copepoda) von Panama. Mikro. Meeresbodens., 85:1-45.
- MIELKE, W. 1981. Interstitielle Fauna von Galapagos. XXVIII. Laophontinae (Laophontidae), Ancorabolidae (Harpacticoida). Mikro. Meeresbodens, 84:1-106. (English Abstract).

Recent Literature (Continued)

- X MOORE, J.W. 1981. Interspecies variability in the consumption of algae by oligochaetes. *Hydrobiol.*, 83:241-244.
- MORSE, M.P. 1981. *Meiopriapulid fijiensis*: An interstitial priapulid from coarse sand in Fiji. *Trans. Amer. Micros. Soc.*, 100(3):239-252.
- NALEPA, T.F. & M.A. QUIGLEY. 1980. The macro- and meobenthos of southeastern Lake Michigan near the mouth of the Grand River, 1976-77. NOAA Data Report ERL GLERL, 17:12.
- NALEPA, T.F. & M.A. QUIGLEY. 1981. The macro- and meobenthos of southeastern Lake Michigan near the mouth of the Grand River, 1978-79. NOAA Data Report ERL GLERL, 19:7.
- NALEPA, T.F. & A. ROBERTSON. 1981. Vertical distribution of the zoobenthos in southeastern Lake Michigan with evidence of seasonal variation. *Freshwater Biol.*, 11:87-96.
- NICKELS, J.S. et al. 1981. Effect of silicate grain shape, structure and location on the biomass and community structure of colonizing marine microbiota. *Appl. Env. Microbiol.*, 41:1262-1268.
- OKEUNEVA, G.L. 1981. A new species of the genus *Moraria* (Copepoda, Harpacticoida) from the Middle Baikal. *Zool. Zh.*, 60(6):930-932. (In Russian).
- PALMER, M.A. & R.R. BRANDT. 1981. Tidal variation in sediment densities of marine benthic copepods. *Mar. Ecol. Prog. Ser.*, 4(2):207-212.
- PARKER, J.G. 1981. Ciliated Protozoa of the polluted Tees estuary. *Estuar. Cstl. Shelf Sci.*, 12:337-340.
- PETTER, A.J. 1981. Description des Males d'Une Nouvelle Espece de Nematode Marine de la Famille des Benthimermithidae. *Ann. Parasitol. (Paris)*, 56(3):285-295.
- T? PILATO, G. 1980. Correlations between cryptobiosis and other biological characteristics in some soil animals. *Boll. Zool.*, 46(4):319-332.
- PLATONOVA, T.A. 1976. Lower Enoplida (free-living marine nematodes) of the seas of the USSR. *Issled. Fauny Morei*, 15(23):3-164.
- PLATT, H.M. 1979. Freelifving marine nematodes of Anarctica A current appraisal. *Ann. Soc. R. Zool. Belg.*, 108(fasc. 1-2):93-101.
- PURSCHE, G. 1981. Tolerance to freezing and supercooling of interstitial Turbellaria and Polychaeta from a sandy tidal beach of the Island of Sylt (North Sea). *Mar. Biol.*, 63(3):257-268.
- RAO, G.C. 1980. On a new species of *Paradasys* (Gastrotricha, Lepidodasyidae) from Andhra coast, India. *Bull. Zool. Surv. India*, 2:213-215.
- RAO, G.C. 1980. On the zoogeography of the interstitial meiofauna of the Andaman and Nicobar Islands, Indian Ocean. *Rec. Zool. Surv. India*, 77:153-178.
- RAO, G.C. 1980. The interstitial fauna in the intertidal sands of Andaman and Nicobar group of Islands. *J. Mar. Biol. Ass. India*, 17(2):116-128.
- RAO, G.C. & A. MISRA. 1980. On a new species of *Halammohydra* (Actinulida, Hydrozoa) from Sagar Island, India. *Bull. Zool. Surv. India*, 3:113-114.
- RAO, G.C. 1981. *Crasiella indica* n. sp. (Gastrotricha, Macrotrichida) from Orissa coast, India. *Bull. Zool. Surv. India*, 4:3-6.
- RAO, G.C. 1981. Three new gastrotrichs from Orissa coast, India. *Bull. Zool. Surv. India*, 3:137-143.
- REISE, K. 1981. The microfauna of the Wadden Sea. Pp. 207-210 in N. Dankers, H. Kuehl, W.J. Wolff (eds.) *Invertebrates of the Wadden Sea*.
- REISE, K. 1981. The role of predation on intertidal flats. Pp. 105-107 in N. Dankers, H. Kuehl, W.J. Wolff (eds.) *Invertebrates of the Wadden Sea*.
- RENAUD-MORNANT, J. 1981. *Stygarctus goubaultae* n. sp. un nouveau Tardigrade marin (Arthrotardigrada) de la Guadeloupe. *Bull. Mus. natn. Hist. nat., Paris*, 4th ser., 3 (section A, no. 1):175-180.
- REUTER, M. 1981. The nervous system of *Microstomum lineare* (Turbellaria, Macrotrichida). II. The ultrastructure of synapses and neurosecretory release sites. *Cell Tissue Res.*, 218:375-387.
- RIEMANN, F. 1979. The excretion organ of *Sabatieria* (Nematoda, Chromadorida) and its phylogenetic significance. *Ann. Soc. R. Zool. Belg.*, 108 (fasc. 1-2), 89 pp.
- RIEMANN, F. 1979. Speculations on the primitive nematode and the early evolution of the class nematoda. *Ann. Soc. R. Zool. Belg.* 108 (fasc. 1-2), 89 pp.
- SAIDOVA, K. 1981. Recent foraminiferal communities in the Pacific abyssal plains. *Okeanologiya*, 21(2):360-365. (In Russian).
- SCHRODER, H.B. & F.B. VAN ES. 1981. Distribution of bacteria in intertidal sediments of the Ems-Dollard estuary. *Neth. J. Sea Res.* 14:268-287.
- SCHWANK, P. 1981. Seltene und wenig bekannte Strudelwürmer (Turbellaria) aus Quellen und Bergbachen Mitteleuropas. *Beitr. Naturkde. Osthessen* 17:101-131. (English Abstract).
- SCHWINGHAMER, P. 1981. Extraction of living meiofauna from marine sediments by centrifugation in a silica sol-sorbitol mixture. *Can. J. Fish. Aquat. Sci.*, 38(4):476-478.
- SERGEEVA, N.G. 1974. Qualitative composition and the quantitative distribution of free-living nematodes on the southern coast of Crimea. *Biol. Morya*, 32:22-42.

Recent Literature (Continued)

- SOYER, J. 1981. Cycle biologique d'un copepode harpacticoide des vases terrigenes cotieres de Banyuls-Sur-Mer: Cletodes pusillus (Sars). Vie Milieu, 30:35-44. (English Abstract).
- STRICKER, S.A. & R.A. CLONEY. 1981. The stylet apparatus of the nemertean Paranemertes peregrina: its ultrastructure and role in prey capture. Zoomorphology, 97:205-223.
- SUDHAUS, W. 1976. Vergleichende untersuchungen zur Phylogenie, Systematik, Okologie, Biologie und Ethologie der Rhabditidae (Nematoda). Zoologica, 43(125): iv + 229 pp.
- TAJIKI, K.I. 1981. Marina Turbellarien aus Hokkaido, Japan V. Coelogynoporidae (Proseriata). Jour. Fac. Sci. Hokkaido Univ. Ser. VI, Zool., 22(4): 451-473.
- TAYLOR, C.E., D.J.F. BROWN & P.B. TOPHAM. 1980. Computer mapping and analysis of nematode distribution. Eur. Mediter. Plant Protect. Organ., 10(2):161-168.
- TIMM, R.W. 1978. Marine nematodes of the order Desmoscolecida from McMurdo Sound, Antarctica. A redescription of the marine nematodes of Shackleton's British Antarctic Expedition of 1907-1909. Biol. Antarctic Seas VI, Antarctic Res. Ser., 26 (papers 5-6):225-255.
- TOPHAM, P.B., B. BOAG & D.J.F. BROWN. 1975. Computerized data processing applied to nematode surveys. J. Biogeography, 2:45-48.
- TSALOLIKHIN, S.I. 1972. New species of free living nematodes from Baikal Lake. Zool. Zh., 51(10): 1559-1562.
- TSALOLIKHIN, S.Ya. 1981. On the genus Paratrilobius (Nematoda, Tobrilidae). Zool. Zh., 60(7):1094.
- TSURUSAKI, N. 1980. Hypsibius itoi, new species of marine interstitial Tardigrada from Hokkaido northern Japan. Annot. Zool. Jpn., 53(4):280-284.
- TURNER, J.T. 1981. Latitudinal patterns of calanoid and cyclopoid copepod diversity in estuarine waters of eastern North America. J. Biogeography, 8:369-382.
- VANDERPLOEG, H.A. 1981. Seasonal particle size selection by Diaptomus sicilis in offshore Lake Michigan. Can. J. Fish. Aquat. Sci., 38: 504-517.
- VERNBERG, W.B. & B.C. COULL. 1981. Meiofauna. Pp. 147-177 in F.J. Vernberg & W.B. Vernberg (eds.) Functional Adaptations of Marine Organisms. New York: Academic Press.
- VOLKMANN, B. 1981. A revision of the genus Tisbella (Copepoda, Harpacticoida). Arch. Oceangr. Limnol. (Venezia), 19 Supple.:77-119.
- VOLKMANN, B. 1981. A revision of the genus Tisbe (Copepoda, Harpacticoida). Part I. Arch. Oceangr. Limnol. (Venezia), 19 Supple.:121-284.
- VOLKMANN, B. 1981. Tisbe (Copepoda, Harpacticoida) species from Bermuda and zoo-geographical considerations. Arch. Oceangr. Limnol. (Venezia), 19 Supple.:1-76.
- VOSILITE, B.S. & V.L. KONTRIMAVICHUS. 1981. Description of Octomyomermis tchaunensis sp. n. (Nematoda, Mermithida), a parasite of Chironomus salinarius in the Chukotka peninsula beyond the polar circle, with reference to its biology. Zool. Zh., 60(7): 1098.
- WARWICK, R.M. 1979. The taxonomic requirements of ecologists. Ann. Soc. R. Zool. Belg. 108(fasc. 1-2), 91 pp.
- WELLS, J.B.J. 1981. Keys to aid in the identification of marine harpacticoid copepods. Amend. Bull. No. 3. Zool. Publ. Victoria Univ. Wellington, 75:1-13.
- WIESER, W. 1979. The ecophysiology of marine nematodes. Ann. Soc. R. Zool. Belg. 108(fasc. 1-2): 107-108.
- WILLIAMS, D.D. 1981. Evaluation of a standpipe corer for sampling interstitial biotopes. Hydrobiology, 83:257-260.
- WOLFF, W.J. & N. DANKERS. 1981. Preliminary checklist of the zoobenthos and nekton species of the Wadden Sea. Pp. 24-60 in N. Dankers, H. Kuehl & W.J. Wolff (eds.) Invertebrates of the Wadden Sea.
- WRIGHT, K.A. 1980. Nematode sense organs. Pp. 237-295 in B.M. Zuckerman (ed.) Nematodes as Biological Models. Volume 2. Aging and other Model Systems.

Document Title

This document contains several paragraphs of text that are extremely faint and difficult to read. The text appears to be organized into sections, possibly separated by headings or sub-headings, but the specific content is illegible due to the low contrast and quality of the scan.

The text is scattered across the page, with some lines appearing more clearly than others. There are also some small, dark spots and artifacts that may be remnants of the original document or scanning noise.



The bottom half of the page contains more text, which is also very faint and illegible. The layout continues with what appears to be a list or a series of points, but the details are completely unreadable.

The overall appearance of the document is that of a very low-quality scan of a printed page. The text is barely visible against the white background, and there are significant artifacts throughout.