

PSAMMONALIA

Newsletter of the International Association of Meiobenthologists



NUMBER 61

AUGUST 1983

Newsletter of the International Association of Meiobenthologists

CARLO HEIP

Editor

RUDY HERMAN

Assistant-Editor

Marine Biology Section
Zoology Institute
State University of Gent
Ledeganckstraat 35
B-9000 Gent, Belgium

INTERNATIONAL ASSOCIATION OF MEIOBENTHOLOGISTS

Executive Committee

Chairperson

CARLO HEIP

Marine Biology Section, Zoology Institute, State University of Gent, B-9000 Gent, Belgium

Treasurer

MAGDA VINCX

Marine Biology Section, Zoology Institute, State University of Gent, B-9000 Gent, Belgium

Committee Members

PHILIPPE BODIN

Laboratoire d'Océanographie Biologique, Université de Bretagne Occidentale, F-29283 Brest, France

CHRISTER ERSEUS

Department of Zoology, University of Göteborg, Fack, S-4000 33 Göteborg, Sweden

ROBERT P. HIGGINS

Department of Invertebrate Zoology, National Museum of Natural History, Washington DC 20560, USA

RICHARD WARWICK

Institute for Marine Environmental Research, Prospect Place, The Hoe, Plymouth PL1 3DH, England

WOLFGANG STERRER

Bermuda Biological Station for Research, St. George's West, Bermuda

Board of Correspondents

SUSAN S. BELL

Department of Biology, University of South Florida, Tampa, FL 33620, USA

GUY BOUCHER

Station Biologique, F-29211 Roscoff, France

BRUCE C. COULL

Belle E. Baruch Institute for Marine Biology and Coastal Research, University of South Carolina, Columbia, SC 29208, USA

W. DUANE HOPE

National Museum of Natural History, Department of Invertebrate Zoology, Washington DC 20560, USA

TATSUNORI ITO

Seto Marine Biological Laboratory, Sirahama, Wakayama-Ken, Japan 649-22.

ANTON McLACHLAN

Department of Zoology, University of Port Elizabeth, P.O. Box 1600, Port Elizabeth 6000, Republic of South Africa

TERESA RADZIEJEWSKA

Institute of Fisheries Oceanography, Ul.Kazimierza Krolewiczka 4, 71-550 Szczecin, Poland

REINHARD RIEGER

II. Zoologisches Institut und Museum der Universität, Berliner Strasse 28, D-34 Göttingen, FRG

FRANZ RIEMANN

Institut für Meeresforschung, Am Handelshafen 12, D-285 Bremerhaven-1, Germany (FRG)

BEATE SOPOTT-EHLERS

II. Zoologisches Institut und Museum der Universität, Berliner Strasse 28, D-34 Göttingen, FRG

Membership in the Association is open to anyone who wishes to join. There are no prerequisites. Annual dues of 4 US dollar, payable in belgian francs (appr. 200 BF), include subscription to Psammonalia. Payment for one year in advance is acceptable. Payment should be made to THE INTERNATIONAL ASSOCIATION OF MEIOBENTHOLOGISTS by international money order or draft in belgian francs on A.S.L.K., Normalschoolstraat 16, B-9000 Gent, Belgium, account nr. 001-1189354-16.

PSAMMONALIA is issued quarterly in February, May, August and November.

This document is not part of the scientific literature and is not to be cited, abstracted or reprinted as a published document.

Vimco

About 90 persons attended the Fifth International Meiofauna Conference at the University of Ghent from 16 to 20 August 1983. In the line of previous conferences this one was again successful, both in the quality of the papers presented and in the general atmosphere at the meeting. I want to thank all my colleagues from the Marine Biology Section who made a great effort to make the organization of this meeting possible.

Publication

Up till now we received only 13 papers to be included in the Proceedings of this conference, to be published in *Hydrobiologia*. I still hope that some of the paper and poster presentations will be included from those authors who have not yet decided to send in a manuscript.

Ballots

Ballots for the new chairman and two members of the Executive Committee must arrive in Ghent before November 1st. The ballots are included in issue 60 of May 1983.

NEWS FROM THE MEMBERS

Organisation for the Advancement of Oceanography in The Netherlands.

We are a group of twelve unemployed biologists and oceanographers who are organized in the Organisation for the Advancement of Oceanography in The Netherlands (SBNO). Our goal is to remain in contact with our field of work, to promote it and by doing so, to try to create jobs.

One of the projects we have started recently, is a study of meiofauna (mesopsammon) along the W. coast of The Netherlands, both for inventory and for pollution indication purposes. Microfauna as well as macrofauna elements will be investigated.

Few research data on this subject are available in The Netherlands and we would welcome information about:

1. Distribution boundaries of meiofauna elements in this area.
2. Pollution indicator species.

Correspondence to:

SENO, PO Box 16915, 1001 RK AMSTERDAM, The Netherlands

Report on the Business Meeting

The Executive Committee met on 18 August. An interim Report on the financial situation of the Association was presented by Magda Vincx. Although in terms of Belgian francs the capital of the Association increased markedly, the rising value of the dollar nearly annihilated this increase. When the funds remain in Europe the Association will be able to maintain its present healthy financial situation.

The Bertyl Swedmark Fund was again discussed. As there does not seem to be any improvement in its financial status the Executive Committee will propose to the membership to abolish the Fund and include its saldo (about 70 US dollar) in the general capital of the Association.

The next meeting was discussed. The Executive Committee had several proposals and finally agreed on the proposal of S. Bell to organize the next meeting in Tampa or Petersburg, Florida, in 1986. This proposal will be made official early next year.

Catalogue des nouveaux Copépodes Harpacticoides marins

Could I remember to every meiobenthologist working on harpacticoid copepods that I am always continuing my catalogue and, therefore, I am looking for any paper on new marine species, or with redescription or morphological precisions on marine species. The next 'new edition' will be issued next year, 1984

Philippe BODIN

We regret to report the recent decease of Howard Randy BAKER. He will be profoundly missed by his friends and colleagues in the scientific community.

NEW OR REINSTATED MEMBERS

BODIOU, Jean-Yves Laboratoire ARAGO F-66650 BANYULS-SUR-MER FRANCE	84	BONGERS, Tom Dept Nematology, Agricul Univ Binnenhaven 10 WAGENINGEN THE NETHERLANDS	85	CANNON, L R G Queensland Museum Gregory Terrace Fortitude Valley, Qld 4006 AUSTRALIA	83
DEBOVEE, Frances Laboratoire ARAGO F-66650 BANUYLS-SUR-MER FRANCE	84	DUDLEY, Bettye Baruch Inst Mar Sci Coast Res Univ South Carolina COLUMBIA, SC 29208 USA	85	FONSECA, V Lab Zoologie (Vers) Mus Hist Naturelle 61, Rue Buffon 75005 PARIS FRANCE	83
FRICKE, A Dept of Oceanography Univ of Cape Town Pvt. Bag, RONDEBOSCH 7700 REP SOUTH AFRICA	84	GARCIA, Maria Station Biologique Pl Georges Teissier F-29211 ROSCOFF FRANCE	84	GEE, J M IMER Prospect Place, The Hoe PLYMOUTH PL1 3DH ENGLAND UK	84
KERM, John Dept Biology Univ South Florida TAMPA, FL 33620 USA	85	LAMBSHEAD, P J D British Museum (Natural Hist) Dept Zoology Cromwell Rd., LONDON SW7 5DB ENGLAND UK	85	LARRAZABAL, E Lab Zoologie (Vers) Mus Hist Naturelle 61, Rue Buffon 75005 PARIS FRANCE	83
LASSERRE, Pierre Station Biologique Pl Georges Teissier F-29211 ROSCOFF FRANCE	84	NOODT, W Zool Inst Univ Kiel Olshausenstrasse 40-60 D-2300 KIEL 1 FEDERAL REPUBLIC OF GERMANY	83	OTT, J Zool Inst Univ Wien Abt. Meeresbiologie Althanstr. 14, WIEN AUSTRIA	83
PALACIN-CABANAS, C Depto Zool-Biol, Univ Barcelon Diagonal 637 BARCELONA 28 SPAIN	84	SMITH, J P S, III Dept Zoology Univ Maine ORONO, ME 04469 USA	84	TZSCHASCHEL Zool Institut Kopernikusstr. 16 D-5100 AACHEN FEDERAL REPUBLIC OF GERMANY	83
VIVIER, Marie Helene Laboratoire Oceanographie Centre Univ Luminy 13009 MARSEILLE Cedex 2 FRANCE	84	ZULLINI, A Inst Zoologia Univ Milano Via Celoria, 26 MILANO ITALY	84		

CHANGED OR CORRECTED ADDRESSES

BARTSCH, I Biol Anstalt Helgoland Notkestr. 31 2000 HAMBURG 52 FEDERAL REPUBLIC OF GERMANY	83	KRISTENSEN, R M Inst Compar Anat Univ Copenhagen 15 Universitetsparken DK-2100 COPENHAGEN DENMARK	85	MONTAGNA, Paul A Lawrence Livermore Lab POB 808 Environ. Sci. Div. L-453 LIVERMORE, CA 94550 USA	83
MUNSON, K Dept Zoology Ohio Univ 256 W. State St. ATHENS, OH 45701 USA	84	RAO, G C Zool Survey India Middle Point PORT BLAIR 744101 INDIA	FC	ROUCH, Raymond Dept Ecology Lab Souterr CNRS MOULIS 09200 Saint-GIRONS FRANCE	83

RECENT LITERATURE

- ADMIRAAL, W.L., A. BOUWMAN, L. HOEKSTRA & K. ROMEYN. 1983. Qualitative and quantitative interactions between microbenthos and herbivorous meiofauna on a brackish intertidal mudflat. *Int. Revue ges. Hydrobiol.*, 68 : 175-191.
- ALONGI, D.M., D.F. BOESCH & R.J. DIAZ. 1983. Colonization of meiobenthos in oil-contaminated subtidal sands in the lower Chesapeake Bay. *Mar.Biol.*, 73 : 325-335.
- ANSARI, Z.A., C.L. RODRIQUES, A. CHATTERJI & A.H. PARULEKAR. 1982. Distribution of meiobenthos and macrobenthos at the mouth of some rivers of the east coast of India. *Ind.J.Mar.Sci.*, 11(4) : 341-343.
- BAKER, H.R. 1982. *Vadicola aprostatu* gen.nov., sp. nov., a marine oligochaete (Tubificidae; Rhyacodrilinae) from British Columbia. *Can.J.Zool.*, 60 (12) : 3232-3236.
- BELL, S.S. & J. McCLINTOCK. 1982. Invertebrates associated with echinoderms from the west coast of Florida with special reference to harpacticoid copepods. *Intern. Echinoderms Conf., Tampa Bay, J.M. Lawrence, ed.* : 229-234.
- BELOGUROV, O.I., N.P. FADEEVA & L.S. BELOGUROVA. 1983. Studies of nematodes of the subfamily Eurystominae (Enoplida, Enchelidiidae) from the Far East seas of the USSR. *Zool.Zh.*, 62 : 14-24. (In Russian).
- BENTLEY, Ch. 1981. *Papillatabairdia*, a new ostracod genus from Brisbane waters, New South Wales. *J. Proc.Roy.Soc.N.S.W.*, 114 (3-4) : 59-61.
- BLOME, D. 1983. Ökologie der Nematoda eines Sandstrandes der Nordseeinsel Sylt. *Mikrofauna Meeresboden*, 88 : 1-76.
- BUSH, L.F. 1981. Marine Flora and Fauna of the Northeast United States. Turbellaria: Acorla and Nemertoclermatida. NOAA Techn.Rpt. NMFS Circ., 440 : 71 pp.
- CHANDLER, G.Th. & J.W. FLEEGER. 1983. Meiofaunal colonization of azoic estuarine sediment in Louisiana: mechanisms of dispersal. *J.Exp.Mar.Biol. Ecol.*, 69 : 175-188.
- CLASING, E. 1983. *Leptepsilonema* gen.n. (Nematoda, Epsilonematidae) from Chile and the Caribbean Sea. *Zool.Scr.*, 12 : 13-17.
- COTTARELLI, V., L. FASANO, G. MURA & P. SAPORITO. 1980. *Parastenocaris admète* n.sp. (Crustacea, Harpacticoida) di acque interstiziali di Sardgna. *Riv.idrobiol.*, 19 (3) : 619-628.
- DANIELOPOL, D. 1980. Deux espèces du genre *Candonopsis* (Ostracoda, Dandoninae) du Sud de la France et de Cuba. *Vie Milieu*, 30 (3-4) : 315-323.
- DINET, A., C. NODOT, P. VITIELLO & M.-H. VIVIER. 1982. Impact d'un effluent thermique sur une communauté de copépodes harpacticoides benthiques. *Tethys*, 10 (4) : 355-363.
- DOUGLAS, A.E. 1983. Establishment of the symbiosis in *Convoluta roscoffensis*. *J.mar.biol.Ass.U.K.*, 63 : 419-434.
- DOUGLAS, A.E. 1983. Uric acid utilization in *Platymonas convolutae* and symbiotic *Convoluta roscoffensis*. *J.mar.biol.Ass.U.K.*, 63 : 435-447.
- EDER, R. 1979. Zur Nematodenfauna des Ilserzer oder Saisser Sees, Kärnten. *Carinthia II*, 1969 (89) : 340-346.
- ERSEUS, C. 1983. Taxonomic studies of the marine genus *Marcusaedrilus* Righi & Kammer (Oligochaeta, Tubificidae) with descriptions of seven new species from the Caribbean area and Australia. *Zool. Scr.*, 12 : 25-36.
- ERSEUS, C. & H.R. BAKER. 1982. New species of the gutless marine genus *Inandrilus* Oligochaeta, Tubificidae) from the Gulf of Mexico and Barbados. *Can.J.Zool.*, 60 (12) : 3063-3067.
- FAUBEL, A. 1982. Determination of individual meiofauna dry weight values in relation to definite size classes. *Cah.Biol.Mar.*, 23 : 339-346.
- FLEEGER, J.W. & G.T. CHANDLER. 1983. Meiofauna responses to an experimental oil spill in a Louisiana salt marsh. *Mar.Ecol.Prog.Ser.*, 11 (3) : 257-264.
- FRITHTSEN, J.B., D.T. RUDNICK, R. ELMGREN. 1983. A new flow-through corer for the quantitative sampling of surface sediments. *Hydrobiologia*, 99(1) : 75-79.
- GAUDY, R. & J.P. GUERIN. 1982. Population dynamics of *Tisbe holothuriae* (Copepoda; Harpacticoida) in exploited mass cultures. *Neth.J. Sea Res.*, 16 : 208-216.
- GIERE, O. 1983. Morphology and fine structure of two marine tubificids (Oligochaeta), closely related to the gutless *Phalodrilus* spp. *Helgoländer Meeresunters.*, 36 : 231-241.
- GIERE, O., G. LIEBEZEIT & R. DAWSON. 1982. Habitat conditions and distribution pattern of the gutless oligochaete *Phalodrilus leukodermatus*. *Mar.Ecol. Progr.Ser.*, 8 (3) : 291-299.

RECENT LITERATURE (continued)

- GOSWAMI, S.C. 1982. Distribution and diversity of copepods in the Mandouli-Zusaü estuarine system, Goa. *Ind.J.Mar.Sci.*, 11 : 292-295.
- GOTTWALD, J. 1983. Interstitielle Fauna von Galapagos. XXX. Podocopida I (Ostracoda). *Mikrofauna Meeresboden*, 90 : 1-187.
- GRAY, J.S. 1983. Use and misuse of the log-normal plotting method for detection of effects of pollution - a reply to Shaw *et al.* *Mar.Ecol.Progr.Ser.*, 11 (2) : 203-205.
- GREENWOOD, J.G. & M.J. TUCKER. 1982. A new species of *Robertsonia* (Copepoda, Harpacticoida) from Port Curtis, Queensland. *Crustaceana*, 42 (3) : 288-294.
- HICKS, G.R.F. 1982. New records of harpacticoid copepods from the east coast of Britain, and a description of the ture male of *Laophonte danversae*. *Crustaceana*, 42 (3) : 302-307.
- HICKS, G.R.F. 1982. Habitat structure disturbance and equilibrium in crustacean communities. *P.S.Z. N.I. Maro.Ecol.*, 3 (1) : 41-51.
- HICKS, G.R.F. & B.C. COULL. 1983. The ecology of marine meiobenthic harpacticoid copepods. *Oceanogr.Mar.Biol. Ann.Rev.*, 21 : 67-175.
- HIGGINS, R.P. 1982. Three new species of Kinorhynchs from Bermuda. *Trans.Amer.Micros.Soc.*, 101 : 305-316.
- HOCKIN, D.C. 1982. The effects of sediment particle diameter upon the meiobenthic copepod community of an intertidal beach : a field and a laboratory experiment. *J.Anim.Ecol.*, 51 : 555-572.
- HOPE, W.D. & S.L. GARDINER. 1982. Fine structure of a proprioceptor in the body wall of the marine nematode *Deontostoma californicum* Steiner and Albin, 1933 (Enoplida : Leptosomatidae). *Cell Tissue Res.*, 225 : 1-10.
- HOGUE, E.W. 1982. Sediment disturbance and the spatial distributions of shallow water meiobenthic nematodes on the open Oregon coast. *J.Mar.Res.*, 40 : 551-573.
- HOWELL, R. 1982. The secretion of mucus by marine nematodes (*Enoplus* spp.) : a possible mechanism influencing uptake and loss of heavy metal pollutants. *Nematologica* : 110-114.
- JENSEN, P. 1982. Reproductive behaviour of the free-living marine nematode *Chromadorita*. *Mar.Ecol.Progr.Ser.*, 10 : 89-95.
- JENSEN, P. 1982. Diatom feeding behavior of the free-living marine nematode *Chromadorita tenuis*. *Nematologica*, 28 : 71-76.
- JOINT, I.R., J.M. GEE & R.M. WARWICK. 1982. Determination of fine-scale vertical distribution of microbes and meiofauna in an intertidal sediment. *Mar.Biol.*, 72 (2) : 157-164.
- KAHAN, D. & T. BAR-EL. 1982. *Schizopera eletensis* n.sp. (Copepoda, Harpacticoida) from Elat, Israel. *Crustaceana*, 42 (3) : 308-314.
- KEGEL, B. & H.-D. PFANNENSTIEL. 1983. Evaluation of the pair-culture effect in *Ophryotrocha puerilis* Polychaeta : Dorvilleidae). II. Conditions for the moult of the upper jaw. *Helgoländer Meeresunters.*, 36 : 215-222.
- KERAMBRUN, P. & J.P. GUERIN. 1982. Changes in esterase zymograms of an harpacticoid copepod, *Tisbe holothuriae*, related to alimentary diet : elements of an adaptive strategy in the face of trophic conditions. *Comptes Rendu, Ser. III*, 295 : 29-32.
- KING, J.P. 1982. An extracellular lamellar system associated with the luminal surface of intestinal microvilli in the marine nematode *Enoplus communis*. *Nematologica*, 28 : 156.
- KORNICKER, L. 1983. Rutidermatidae of the Continental Shelf of Southeastern North America and the Gulf of Mexico (Ostracoda : Myodocopina). *Smithsonian Contrib. Zool.*, N° 371.
- KOSSMACK-STEPHAN, K.-J. 1983. Marine Oligochaeta from a sandy beach of the island of Sylt (North Sea) with description of four new enchytraeid species. *Mikrofauna Meeresboden*, 89 : 1-28.
- LAMBSHEAD, P.J.D. 1982. A new species of free-living nematode from the Firth of Clyde, Scotland. *Bull.Br.Mus.nat.Hist.(Zool.)*, 42 (3) : 149-155.
- LEE, F.F. & M.F. LEE. 1980. Contextual relationships in food webs involving meiofauna. *Biol. Bull.*, 159 (2) : 462.
- MALAKHOV, V.V. 1983. A study of the structure of sense organs in free-living marine nematodes. 2. Sense organs of *Pontonema vulgare* (Enoplida, Oncholaimidae) and the problem of evolution of sensory structures in nematodes. *Zool.Zh.*, 62 (2) : 191-200.
- MARCOTTE, B.M. 1980. The origin and maintenance of marine copepod diversity. *ICSEB-II : 2nd Intern. Congr.Syst.&Evol.Biol.*, Vancouver, July 17-24 : 276.

RECENT LITERATURE (continued)

- MIELKE, W. 1982. Three variable *Arenopontia* species (Crustacea, Copepoda) from Panama. *Zool.Scr.*, 11: 199-208.
- MORAITOUAPOSTOLOPOULOU, M., G. VERRIOPOULOS & N. KI KAIAROU. 1982. Influence of light conditions on the offspring production and the sex ratio of *Tisbe holothurial* Humes (Copepoda, Harpacticoida). *Arch.Hydrobiol.*, 96 (1) : 120-126.
- MORIARTY, D.J.W. & P.C. POLLARD. 1982. Diel variation of bacterial productivity in seagrass (*Zostera capricorni*) beds measured by the rate of thymidine incorporation into DNA. *Mar.Biol.*, 72 : 165-174.
- NELSON, D.R. 1982. Developmental Biology of Tardigrada. In: *Developmental Biology of Freshwater Invertebrates* : 363-398. (Eds. F.W. Harrison & R. Cowden). A.R. Liss, Inc., New York.
- NEWELL, R.C. & J.G. FIELD. 1983. The contribution of bacteria and detritus to carbon and nitrogen flow in a benthic community. *Mar.Biol. Letters*, 4 : 23-36.
- NODOT, C. 1982. Reproduction et Croissance des Copepodes harpacticoides psamiques *Halectinosoma herdmani* (T. & A. Scott) et *Tryphoema proca* Monarch. *Tethys*, 10 (4) : 373-378.
- NOVAK, R. 1982. Spatial and seasonal distribution of the meiofauna in the seagrass *Posidonia oceanica*. *Neth.J. Sea Res.*, 16 : 380-388.
- ODEN, B. 1979. The freshwater littoral meiofauna in a South Carolina reservoir receiving thermal effluents. *Freshw.Biol.*, 9 : 291-304.
- OSENGA, G.A. & B.C. COULL. 1983. *Spartina alterniflora* root structure and meiofauna abundance. *J. Exp.Mar.Biol.Ecol.*, 67 : 221-225.
- RIEGER, J.O., R. RIEGER & F. ENDERES. 1982. New mouthless interstitial worms from the sulfide system: symbiosis with procaryotes. *P.S.N.I. : Mar. Ecol.*, 3 (4) : 313-333.
- PAMATMAT, M.M. & S. FINDLAY. 1983. Metabolism of microbes, nematodes, polychaetes and their interactions in sediment as detected by heat flow measurement. *Mar.Ecol.Prog.Ser.*, 11 : 31-38.
- PTELINA, O.Yu. & A.V. TCHESUNOV. 1983. A new representative of the fauna of the White Sea, *Hypsibius apelloefi* (Tardigrada). *Zool.Zh.*, 62 (1) : 117-119. (In Russian).
- PILATO, G. 1982. The systematics of Eutardigrada - a comment. *Z.Zool.Syst.Evolutionsforsch.*, 20(4) : 271-283.
- PLATT, H.M. & Z.N. ZHANG. 1982. New species of marine nematodes from Loch Ewe, Scotland. *Bull.Br. Mus.(Nat.Hist.)*, Zool., 42 (4) : 227-246.
- POLLOCK, L.W. 1983. A closer look at some marine Heterotardigrada. II. The morphology and taxonomy of *Bathyechiniscus* with a description of *B. craticulus* n.sp. from the Caribbean. *Bull.Mar.Sci.*, 33 : 109-117.
- POWELL, E.N., T.J. BRIGHT, A. WOODS & S. GITTINGS. 1983. Meiofauna and the thiobios in the Easter Flower Garden brine sepp. *Mar.Biol.*, 73 : 269-283.
- REISE, K. 1983. Biotic enrichment of intertidal sediments by experimental aggregates of the deposit-feeding bivalve *Macoma balthica*. *Mar.Ecol.Prog. Ser.*, 12 : 220-236.
- REISE, K. 1983. Sewage, green algal mats anchored by lugworms, and the effects on Turbellaria and small Polychaeta. *Helgoländer Meeresunters.*, 36 : 151-162.
- RIEMANN, F. & M. SCHRAGE. 1983. On a mass occurrence of a thraustochytrid protist (fungi or rhizopodan Protozoa) in an antarctic anaerobic marine sediment. *Veröff.Inst.Meeresforsch.Bremerh.*, 19 : 191-202.
- RIPPEY, B. & D.H. JEWSON. 1982. The rates of sediment-water exchange of oxygen and sediment bioturbation in Lough Neagh, Northern Ireland. *Hydrobiologia*, 91-92 : 377-382.
- ROBBINS, J.A. 1982. Stratigraphic and dynamic effects of sediment reworking by Great Lakes zoobenthos. *Hydrobiologia*, 91-92 : 611-622.
- ROMEYN, K., L.A. BOUWMAN & W. ADMIRAAL. 1983. Ecology and cultivation of the herbivorous brackish-water nematode *Eudiplogaster pararmatus*. *Mar.Ecol. Prog.Ser.*, 12 : 145-153.
- SCHOCKAERT, E.R. 1982. Turbellaria from Somalia. II. Kalyptorhynchia (part 2). *Monitore zool.ital. (N.S.) Suppl.*, 17 : 81-96.
- SHARMA, J. & J.M. WEBSTER. 1983. The abundance and distribution of free-living nematodes from two Canadian Pacific beaches. *Estuar.Coast. Shelf Sci.*, 16 (2) : 217-227.

RECENT LITERATURE (continued)

- SHAW, K.M., P.J.D. LAMBSHEAD & H.M. PLATT. 1983. Detection of pollution-induced disturbance in marine benthic assemblages with special reference to nematodes. *Mar.Ecol.Prog.Ser.*, 11 (2) : 195-202.
- SHERMAN, K.M., J.A. REIDENAUER, D. THISTLE & D. MEETER. 1983. Role of a natural disturbance in an assemblage of marine free-living nematodes. *Mar.Ecol. Prog.Ser.*, 11 : 23-30.
- SHIRLEY, T.C. & M.S. LODEN. 1982. The Tubificidae (Annelida, Oligochaeta) of a Louisiana estuary : ecology and systematics, with the description of a new species. *Estuaries*, 5 (1) : 47-56.
- TAJIKA, K.I. 1983. Zwei neue interstitielle Turbellarien der Gattung *Archotoplana* (Proseriata, Otoplanidae) aus Hokkaido, Japan. *Journ.Fac.Sci.Hokkaido Univ. Ser. VI, Zool.*, 23 : 179-194. (In Japanese).
- TAJIKA, K.I. 1982. Marine Turbellarien aus Hokkaido, Japan. IX. Monocelididae (Proseriata). *Bull.Lib. Arts & Sci. Course, Sch.Med. Nihon Univ.*, 10 : 9-34. (In Japanese).
- TARJAN, A.C. 1982. Nematoda. Free-living forms. In : *Aquatic Biota of Mexico, Central America and The West Indies* (Eds. S.H. Hulbert & A. Villalobos-Figueroa), San Diego State Univ. : 97-100.
- TYLER, S., L. MELANSON & R. RIEGER. 1980. Ultrastructure of adhesive organs in *Neodasys* (Gastrotricha) and their phylogenetic significance. ICSEB-II : 2nd Intern.Congr.Syst.&Evol.Biol., Vancouver, July 17-24 : 375.
- USTACH, J.F. 1982. Algae, bacteria, and detritus as food for the harpacticoid copepod, *Heteropsyllas pseudonanni* Coull and Palmer. *J.exp.mar.Biol. Ecol.*, 64 : 203-214.
- VAUGELAS, J.V. de. 1981. Distribution quantitative de la matière organique totale, vivante et détritique dans différents types de sédiments coralliens de Polynésie française. *C.R.acad.Asci. (Paris)*, 292 : 299-302.
- WESTHEIDE, W. 1982. *Microphthalmus hamosus* sp.n. (Polychaeta, Hesionidae) - an example of evolution leading from interstitial fauna to a macrofaunal interspecific relationship. *Zool.Scr.*, 11 : 189-194.
- ZINN, D.J., B.W. FOUND & G.M. KRAUS. 1982. A bibliography of the Mystacocarida. *Crustaceana*, 42 (3) : 270-274.

UITWISSELING VAN WETENSCHAPPELIJKE UITGAVEN
(DRUKWERK HALF-TARIEF : CONVENTIE VAN STOCKHOLM)

RIJKSUNIVERSITEIT GENT
INSTITUUT VOOR DIERKUNDE
Laboratorium voor Morfologie
en Systematiek
Ledeganckstraat 35 - B-9000 GENT
BELGIË

