

# PSAMMONALIA

Newsletter of the International Association of Meiobenthologists



NUMBER 62

NOVEMBER 1983

Newsletter of the International Association of Meiobenthologists

CARLO HEIP

Editor

RUDY HERMAN

Assistant-Editor

Marine Biology Section  
Zoology Institute  
State University of Gent  
Ledebergstraat 35  
B-9000 Gent, Belgium

INTERNATIONAL ASSOCIATION OF MEIOBENTHOLOGISTS

Executive Committee

Chairperson

CARLO HEIP

Marine Biology Section, Zoology Institute, State University of Gent, B-9000 Gent, Belgium

Treasurer

MAGDA VINCX

Marine Biology Section, Zoology Institute, State University of Gent, B-9000 Gent, Belgium

Committee Members

PHILIPPE BODIN

Laboratoire d'Océanographie Biologique, Université de Bretagne Occidentale, F-29283 Brest, France

CHRISTER ERSEUS

Department of Zoology, University of Göteborg, Fack, S-4000 33 Göteborg, Sweden

ROBERT P. HIGGINS

Department of Invertebrate Zoology, National Museum of Natural History, Washington DC 20560, USA

RICHARD WARWICK

Institute for Marine Environmental Research, Prospect Place, The Hoe, Plymouth PL1 3DH, England

WOLFGANG STERRER

Bermuda Biological Station for Research, St. George's West, Bermuda

Board of Correspondents

SUSAN S. BELL

Department of Biology, University of South Florida, Tampa, FL 33620, USA

GUY BOUCHER

Station Biologique, F-29211 Roscoff, France

BRUCE C. COULL

Belle E. Baruch Institute for Marine Biology and Coastal Research, University of South Carolina,  
Columbia, SC 29208, USA

W. DUANE HOPE

National Museum of Natural History, Department of Invertebrate Zoology, Washington DC 20560, USA

TATSUNORI ITO

Seto Marine Biological Laboratory, Sirahama, Wakayama-Ken, Japan 649-22.

ANTON McLACHLAN

Department of Zoology, University of Port Elizabeth, P.O. Box 1600, Port Elizabeth 6000, Republic  
of South Africa

TERESA RADZIEJWSKA

Institute of Fisheries Oceanography, Ul.Kazimierza Krolewicza 4, 71-550 Szczecin, Poland

REINHARD RIEGER

II. Zoologisches Institut und Museum der Universität, Berliner Strasse 28, D-34 Göttingen, FRG

FRANZ RIEMANN

Institut für Meeresforschung, Am Handelshafen 12, D-285 Bremerhaven-1, Germany (FRG)

BEATE SOPOTT-EHLERS

II.Zoologisches Institut und Museum der Universität, Berliner Strasse 28, D-34 Göttingen, FRG

Membership in the Association is open to anyone who wishes to join. There are no prerequisites. Annual dues of 4 US dollar, payable in belgian francs (appr. 200 BF), include subscription to Psammonalia. Payment for one year in advance is acceptable. Payment should be made to THE INTERNATIONAL ASSOCIATION OF MEIOBENTHOLOGISTS by international money order or draft in belgian francs on A.S.L.K., Normalschoolstraat 16, B-9000 Gent, Belgium, account nr. 001-1189354-16.

PSAMMONALIA is issued quarterly in February, May, August and November.

This document is not part of the scientific literature and is not to be cited, abstracted or reprinted as a published document.

CHANGED OR CORRECTED ADDRESSES

ALONGI, Daniel M  
Chesapeake Biological Lab  
PO BOX 38  
SOLOMONS, MD 20688  
USA

BLOME, Dietrich  
Inst Meeresforschung  
Am Handelshafen 12  
285 BREMERHAVEN 1  
FEDERAL REPUBLIC OF GERMANY

DINET, Alain  
Centre Res en Ecol Marine  
et Aquaculture de l'HOUDEAU  
Case 5  
17137 NIEUL SUR MER FRANCE

DUFFY, Emmett J  
Smithsonian Ocean Sort Center  
Smithsonian Institution  
WASHINGTON, DC 20560  
USA

NORENBURG, J  
Mount Desert Isl Biol Lab  
Salsbury Cove  
ME 04672  
USA


SCHARNOFSKI, Petra  
Fachbereich Biol/Chemie  
Univ Osnabruck  
Postfach 4469  
D-4500 OSNABRUCK F.R.GERMANY

VON NORDHEIM, Hennig  
Fachbereich Biol/Chemie  
Univ Osnabruck  
Postfach 4469  
D-4500 OSNABRUCK F.R.GERMANY


WESTHEIDE, Wilfried  
Univ Osnabruck  
FB 5, Spezielle Zoologie  
Barbarastrasse 11  
D-4500 OSNABRUCK F.R.GERMANY



A famous New Zealand scientist  
had field studies on his research list  
from this low point of view  
his discoveries, totally new  
made him a new wave copepodologist



HEY KIDS!  
THERE HE'S AGAIN!  
ARE YOU READY?  
BOB and BRUCE?



# FIFTH INTERNATIONAL MEIOFAUNA CONFERENCE

CENT 16/8-21/8



## RECENT LITERATURE

ADMIRAAL, W., L.A. BOIWAN, L. HOEKSTRA & K. ROMEYN. 1983. Qualitative and quantitative interactions between microphytobenthos and herbivorous meiofauna on a brackish intertidal mudflat. *Int.Rev.ges.Hydrob.*, 68(2) : 175-191.

ALADIN, N.V. 1983. On displacement of the critical salinity barrier in the Caspian and Aral Seas, the Branchiopoda and Ostracoda taken as examples. *Zool.Zh.*, 62(5) : 689-694.

ALHEIT, J. & W. SCHEIBEL. 1982. Benthic Harpacticoida as a Food Source for Fish. *Mar.Biol.*, 70 (2) : 141-147.

AMJAD, S. & J.S. GRAY. 1983. Use of the nematode-copepod ratio as an index of organic pollution. *Mar.Poll.Bull.*, 14(5) : 178-181.

ARLT, G. 1983. Taxonomy and ecology of some harpacticoids (Crustacea, Copepoda) in the Baltic Sea and Kattegat. *Zool.Jb.Syst.*, 110 : 45-85.

BARTSCH, I. 1983. *Halacarellus coecus* (Trouessart) und *H. princeps* (Trouessart) (Halacaridae, Acari), Wiederbeschreibung der Arten. *Acarologia*, 24(1) : 49-57.


BELL, S.S. 1983. An experimental study of the relationship between below-ground structure and meiofaunal taxa. *Mar.Biol.*, 76 : 33-39.

BELEGUROV, O.I. 1983. Problems in taxonomy and morphology of the family Pelagonematidae (Nematoda, Oncholaimina). *Zool.Zh.*, 62(4) : 485-492. (In Russian).

BLOME, D. 1982. Systematik der Nematoda eines Sandstrandes der Nordseeinsel Sylt. *Mikrofauna Meeresbodens*, 86 : 184 pp.

BOTHAR, A. 1983. Development of the zooplankton and zoobenthos under the influence of waste waters. *Schw.Ztschr.Hydrol.*, 44(2) : 230.

BRADFORD, J.M. & J.B.J. WELLS. 1983. New calanoid and harpacticoid copepods from beneath the Ross Ice Shelf, Antarctica. *Polar Biol.*, 2(1) : 1-16.



RECENT LITERATURE (continued)

- BROODBAKKER, N.W. 1982. The genus *Heterocypris* (Crustacea, Ostracoda) in the West Indies. Part I. Taxonomic characters. *Bijdr.Dierk.*, 52(2) : 207-227.
- CHANDLER, G.T. & J.W. FLEEGER. 1983. Meiofaunal colonization of azoic estuarine sediment in Louisiana : mechanisms of dispersal. *J.Exp.Mar.Biol.Ecol.*, 69 : 175-188.
- CHONG, L.C. 1982. Simple permanent mounting of small nematodes (up to 30 mm in length). *South-east Asian Jl Trop.Med.Publ. Health*, 13(2) : 296.
- CHRISTENSEN, J.P., G.T. ROWE & C.H. CLIFFORD. 1983. The possible importance of primary amino nitrogen in nitrogen regeneration by coastal marine sediments in Buzzards Bay, Massachusetts. *Int.Rev.ges.Hydrob.*, 68 : 501-512.
- CLARKE, A. 1982. Temperature and embryonic development in polar marine invertebrates. *Int.Jl Invert.Reprod.*, 5(2) : 71-82.
- CLASING, E. 1983. *Leptepsilonema* gen.n. (Nematoda, Epsilonematidae) from Chile and the Caribbean Sea. *Zool.Scr.*, 12(1) : 13-18.
- COATES, K.A. 1983. New records of marine *Marionina* (Oligochaeta, Enchytraeidae) from the Pacific Northeast, with a description of *Marionina klas-kisharum* sp.nov. *Can.J.Zool.*, 61(4) : 822-831.
- COOMANS, A. 1983. General principles for the phylogenetic systematics of nematodes. In : Concepts in Nematode Systematics. Edited by A.R. Stone, H.M. Platt & L.F. Khalil. Systematics Assoc., Special Vol., N° 22. London & New York, Academic Press : 1-10.
- COTTARELLI, V. & G. MURA. 1981. Remarks on the genus *Afrolaophonte* (Crustacea, Copepoda, Harpacticoida). Description of three new species. *Vie & Milieu*, 31(2) : 153-161.
- COULL, B.C. & S.S. BELL. 1983. Chapter 6, Biotic Assemblages : Population and Communities : pp. 283-319. In : Biology of the Crustacea, Vol. 7, Behavior and Ecology (F.J. Vernberg & W.B. Vernberg, Eds). Academic Press, New York.
- D'ADDABBO GALLO, M., MORONE DE LUCIA, M.R., GRIMALDI de ZIO, S. & P. GRIMALDI. 1978. Nuovi dati sui Tardigradi del mesopsammon delle Coste Pugliesi. *Thalassia salentina*, 8 : 63-66.
- DAVIDSON, L.A. 1983. A freeze fracture and thin section study of intestinal cell membranes and intercellular junctions of a nematode. *Tissue & Cell*, 15(1) : 27.
- DAVIES, B.R. 1982. Studies on the zoobenthos of some southern cape coastal lakes. Spatial and temporal changes in the benthos of Swartvlei, South Africa, in relation to changes in the submerged littoral macrophyte community. *Jl Limnol. Soc.S.Afr.*, 8(1) : 33-45.
- DECRAEMER, W. & P. JENSEN. 1981. Meyliidae (Nematoidea-Desmoscolecoidea) with four new species and two new genera. *Bull.Inst.roy.Sci.nat.Belg.Biol.*, 53(18) : 13 pp.
- DE CUYPER, C. & J.R. VANFLETEREN. 1982. Oxygen consumption during development and aging of the nematode *Caenorhabditis elegans*. *Comp.Bioch.&Phys.*, 73A(2) : 283-289.
- DE CUYPER, C. & J.R. VANFLETEREN. 1982. Nutritional alteration of life span in the nematode *Caenorhabditis elegans*. *Age*, 5 : 42-45.
- DUSENBERRY, D.B. 1983. Chemotactic behavior of nematodes. *Jl of Nem.*, 15(2) : 168-173.
- DYE, A.H. 1983. Composition and Seasonal Fluctuations of Meiofauna in a Southern African Mangrove Estuary. *Mar.Biol.*, 73 : 165-170.
- DYE, A.H. 1983. Vertical and horizontal distribution of meiofauna in mangrove sediments in Transkei, South Africa. *Estuar.Coast. Shelf Sci.*, 16 (6) : 591-598.
- EDMONDS, S.J. 1982. Amsterdam Expedition to the West Indian Islands. Report 21. A sipunculan, reported to be "interstitial" from the Netherlands Antilles. *Bijdr.Dierk.*, 52(2) : 228-230.
- ERSEUS, C. 1983. *Duridrilus tardus* gen. et sp.n., a marine tubificid (Oligochaeta) from Bermuda and Barbados. *Sarsia*, 68(1) : 29-32.
- ERSEUS, C. 1983. Taxonomic studies of the marine genus *Marcusaedrilus* Righi et Kanner (Oligochaeta, Tubificidae), with descriptions of seven new species from the Caribbean area and Australia. *Zool.Scr.*, 12(1) : 25-36.
- ERSEUS, C. 1983. A new bathyal species of *Coralliodrilus* (Oligochaeta : Tubificidae) from the southeast Atlantic. *Proc.Biol.Soc.Wash.*, 96(2) : 273-275.
- FELBECK, H., G. LIEBEZEIT, R. DAWSON & O. GIERE. 1983. CO<sub>2</sub> fixation in tissues of marine oligochaetes (*Phallodrillus leukodermatus* and *P. planus*) containing symbiotic chemosautotrophic bacteria. *Mar.Biol.*, 75 : 187-191.
- FENCHEL, T. & B.J. FINLAY. 1983. Respiration rates in heterotrophic, free-living Protozoa. *Microbiol.Ecol.*, 9(2) : 99-122.

- FLEEGER, J.W., W.B. SIKORA & J.P. SIKORA. 1983. Spatial and long-term temporal variation of meiobenthic-hyperbenthic copepods in Lake Pontchartrain, Louisiana. *Eusstuar.Cost. Shelf Sci.*, 16(4) : 444-454.
- GERAERT, E. 1983. The use of the female reproductive system in nematode systematics. In : Concepts in Nematode Systematics. Edited by A.R. Stone, H.M. Platt & L.F. Khalil. Systematics Association, Special Vol., N° 22. London & New York, Academic Press : 73-84.
- GIERE, O. & O. PFANNKUCHE. 1982. Biology and Ecology of Marine Oligochaeta, a review. *Oceanogr.Mar. Biol. Ann.Rev.*, 20 : 173-308.
- GLEDHILL, T. 1982. Water-mites (Hydrachnellae, Limnohalacaridae, Acari) from the interstitial habitat of riverine deposits in Scotland. *Pol.Arch. Hydrobiol.*, 29(2) : 439-451.
- GOLDSTEIN, P. & A.C. TRIANTAPHYLLOU. The synaptonemal complexes of *Meloidogyne* : Relationship of structure and evolution of parthenogenesis. *Chromosoma (Berl.)*, 87 : 117-124.
- GRAY, J.S. & H. CHRISTIE. 1983. Predicting long-term changes in marine benthic communities. *Mar. Ecol. Prog.Ser.*, 13 : 87-94.
- GRIMALDI de ZIO, S., M. D'ADDABBO GALLO & R.M. MORONE DE LUCIA. 1977. Ciclo biologico di *Batillipides pennaki* (Heterotardigrada). Atti del IX Congresso della Soc.It.Biol.Mar. : 285-292.
- GRIMALDI de ZIO, S., R.M. MORONE DE LUCIA, M. D'ADDABBO GALLO & P. GRIMALDI. 1979. Osservazioni su alcuni Tardigradi di una spiaggia Pugliese e descrizione di *Batillipes adriaticus* sp.nov. (Heterotardigrada). *Thalassia salentina*, 9 : 39-50.
- GRIMALDI de ZIO, S., M. D'ADDABBO GALLO & R.M. MORONE DE LUCIA. 1980. Some notes about postembryonal development of *Floractus hulingi* Renaud Mornant (Heterotardigrada). *Mem.Biol.Mar.Oceanogr.*, Suppl. X : 407.
- GRIMALDI de ZIO, S., R.M. MORONE DE LUCIA & M. D'ADDABBO GALLO. 1980. Osservazioni sull'apparato riproduttore di un nematode marino *Mesacanthion hirsutum* Gerlach, 1953 (Enoplidae). *Nematol.medit.*, 8 : 29-35.
- GRIMALDI de ZIO, S., M. D'ADDABBO GALLO, R.M. MORONE DE LUCIA & P. GRIMALDI. 1980. Ulteriori dati sull'Tardigradi del mesopsammon di alcune spiagge Pugliesi. *Thalassia salentina*, 10 : 45-65.
- GRIMALDI de ZIO, S., M. D'ADDABBO GALLO & R.M. MORONE DE LUCIA. 1982. Note sull'ecologia dei Tardigradi marini (Heterotardigrada). *Boll.Mus.Ist.Biol. Univ Genova*, 50, Suppl. : 223-227.
- GRIMALDI de ZIO, S., M. D'ADDABBO GALLO & R.M. MORONE DE LUCIA. 1982. *Neostygarcus acanthophorus* g.n. sp.n., nuovo tardigrado marino del mediterraneo. *Cah.Biol.Mar.*, 23(3) : 319-323.
- GRIMALDI de ZIO, S., M. D'ADDABBO GALLO, R.M. MORONE DE LUCIA, R. VACCARELLA & P. GRIMALDI. 1982. Quattro nuove specie de Halechiniscidae rinvenute in due grotte sottomarine dell'Italia meridionale (Tardigrada : Heterotardigrada). *Cah.Biol.Mar.*, 23(4) : 415-426.
- GRIMALDI de ZIO, S., M. D'ADDABBO GALLO, R.M. MORONE DE LUCIA, R. VACCARELLA & P. GRIMALDI. 1982. Quattro nuove specie de Halechiniscidae rinvenute in due grotte sottomarine dell'Italia meridionale (Tardigrada : Heterotardigrada). *Cah.Biol.Mar.*, XXIII : 415-426.
- GUNNILL, F.C. 1982. Macroalgae as habitat patch islands for *Scutellidium lamellipes* (Copepoda : Harpacticoida) and *Ampithoe tea* (Amphipoda : Gammaridae). *Mar.Biol.*, 69 : 103-116.
- GUNNILL, F.C. 1983. Seasonal variations in the invertebrate faunas of *Pelvetia fastigiata* (Fucaceae) : Effects of plant size and distribution. *Mar.Biol.*, 73 : 115-130.
- HARTMANN, G. 1982. Beitrag zur Ostracodenfauna Neuseelands (mit einem Nachtrag zur Ostracodenfauna der Westküste Australiens). *Mitt.Hamburg.zool. Mus.Inst.*, 79 : 119-150.
- HEDGECOCK, E.M., J.E. SULSTON & J.N. THOMSON. 1983. Mutations affecting programmed cell deaths in the nematode *Caenorhabditis elegans*. *Science*, 220 (4603) : 1277-1279.
- HERMAN, P.M.J. & C. HEIP. 1983. The respiration of five brackish-water harpacticoid copepod species. *J.Exp.Mar.Biol.Ecol.*, 71 : 249-256.
- HERMANS, C.O. 1983. The duo-gland adhesive system. *Oceanogr.Mar.Biol., Ann.Rev.*, 21 : 283-339.
- HICKS, G.R.F. & W.R. WEBBER. 1983. *Porcellidium taipi*, new species (Copepoda : Harpacticoida), associated with hermit crabs from New Zealand, with evidence of great morphological variability and a dimorphic male. *J.Crust.Biol.*, 3(3) : 438-454.
- HIGGINS, R.P. 1981. Kinorhyncha. In : Synopsis and Classification of Living Organisms. Parker S.P. (Ed.), McGraw-Hill, New York : 873-877.
- HIGGINS, R.P. 1983. The Atlantic barrier reef ecosystem at Carrie Bow Cay, Belize. II. Kinorhyncha. *Smith.Contr.Mar.Sci.*, 18 : 1-131.
- HOCKIN, D.C. 1983. The effects of organic enrichment upon a community of meiobenthic harpacticoid copepods. *Mar.Environ.Res.*, 10 : 45-58.
- HOGUE, E.W. & A.G. CAREY, jr. 1982. Feeding ecology of 0-age flatfishes at a nursery ground on the Oregon Coast. *Fishery Bull.*, 80(3) : 555-564.
- HOWELL, R. 1983. Heavy metals in marine nematodes : uptake, tissue distribution and loss of copper and zinc. *Mar.Poll.Bull.*, 14(7) : 263-267.

RECENT LITERATURE (continued)

- HUMES, A.G. 1981. Harpacticoid copepods associated with Cnidaria in the Indo-West Pacific. *J.crust. Biol.*, 1(2) : 227-240.
- INGLIS, W.G. 1983. An outline classification of the Phylum Nematoda. *Aust.J.Zool.*, 31(2) : 243-256.
- INGLIS, W.G. 1983. An outline classification of the Phylum Nematoda. *Aust.J.Zool.*, 31(2) : 257.
- ITO, T. 1983. Harpacticoid copepods from the Pacific abyssal off Mindanao. II. Ceviniidae (cont.), Thalestridae, and Ameiridae. *Publ. Seto Mar.Biol. Lab.*, 28 : 151-154.
- JACOBSEN, K.R. 1983. Thraustochytriaceae im Interstitium ausgewählter Sandwatten des Weserästuars. *Veröff.Inst.Meeresforsch.Bremerh.*, 19 : 145-175.
- JAMIESON, B.G.M. 1983. Spermatozoal ultrastructure: evolution and congruence with a holomorphological phylogeny of the Oligochaeta (Annelida). *Zool. Scr.*, 12 : 107-114.
- JENSEN, P. 1983. Meiofauna abundance and vertical zonation in a sublittoral soft bottom, with a test of the Haps corer. *Mar.Biol.*, 74(3) : 319-326.
- KARLING, T. 1982. Anatomy and taxonomy of *Phonorchynchus* Graff (Turbellaria), with special reference to *P. helgolandicus* (Mecznikov). *Zool.Scr.*, 11(3) : 165-171.
- KARLING, T. 1983. Phylogeny of *Paragnathorhynchus* Meixner and *Aculeorhynchus* Schilke (Turbellaria, Kalyptorhyncha). *Zool.Scr.*, 12(2) : 73-76.
- KARLING, T. 1983. Structural and systematic studies on Turbellaria Schizorhyncha (Platyhelminthes). *Zool.Scr.*, 12(2) : 77-90.
- KERN, J.C. & A.G. CAREY. 1983. The faunal assemblage inhabiting seasonal sea ice in the nearshore Arctic Ocean with emphasis on copepods. *Mar.Ecol. Prog.Ser.*, 10 : 159-167.
- KISIELEWSKA, G. 1982. Gastrotricha of two complexes of peat hags near Siedlce. *Fragm.fau.*, 27(4) : 39-57.
- KITO, K. 1983. Deep-sea nematodes off Mindanao Island, the Philippines. I. Draconematidae. *Annot. Zool.Jap.*, 56(1) : 27.
- KOLASA, J. 1982. On the origin of stream interstitial Microturbellaria. *Pol.Arch.Hydrob.*, 29(2) : 405-413.
- KORNICKER, L.S. 1983. The ostracode family Cyprinidae and the genus *Pteracypridina*. *Smith.Contr. Zool.*, 379 : 29 pp.
- KRISTENSEN, R.M. 1982. The first record of cyclo-morphosis in Tardigrada based on a new genus and species from Arctic meiobenthos. *Ztschr.zool. Syst.Evolutionsforsch.*, 20(4) : 249-270.
- X KRISTENSEN, R.M. 1983. Loricifera, a new phylum with Aschelminthes characters from the meiobenthos. *Ztschr.zool.Syst.Evolutionsforsch.*, 21 : 161-180.
- McALICE, B.J. & G.B. JAEGER. 1982. Seasonality of *Monstrilla helgolandica* Claus, 1863 (Copepoda, Monstrilloida) and the occurrence of other monstrillids in Maine. *J.crust.Biol.*, 2(1) : 45-47.
- X McCLURG, T.P. & J.D. WHITEHORN. 1982. Interstitial meiofauna as indicator of sandy beach pollution. *Water Sci.Technol.*, 14(9-11) : 1583.
- MACQUITTY, M. 1983. Description of a new species of marine mite, *Aguanopsis filirostris* (Acari : Hala-caroidea), from Southern California. *Acarologia*, 24(1) : 59-64.
- MIELKE, W. 1982. Interstitielle Fauna von Galapagos. XXIX. Darcythompsoniidae, Cylindropsyllidae (Harpacticoida). *Mikrofauna Meeresbodens*, 87 : 52 pp.
- MIELKE, W. 1983. Two new *Psammosyllus* species (Copepoda) from the Caribbean coast of Panama. *Stud. Neotrop. Fauna Environ.*, 18(2) : 101-110.
- MIRONOV, A.N. 1982. The role of the Antarctic in the formation of the deep-sea fauna of the world ocean. *Okeanologiya*, 22(3) : 486-491.
- MONTAGNA, P.A. 1983. Live controls for radioisotope tracer food chain experiments using meiofauna. *Mar.Ecol. Prog.Ser.*, 12(1) : 43-46.
- MORAITOU-APOSTOLOPOULOU, M., V. KIORTSIS, G. VERRIO-POULOS & S. PLATANISTIOTI. 1983. Effects of copper sulfate on *Tisbe holothuriiae* Humes (Copepoda) and development of tolerance to copper. *Hydrobiologia*, 99(2) : 145-150.
- MOTT, J.B. & A.D. HARRISON. 1983. Nematodes from river drift and surface drinking water supplies in southern Ontario. *Hydrobiologia*, 102(1) : 27-38.




- PENAS, E. & G. GONZALEZ. 1983. Relationships between benthic infauna and environmental factors in three beaches of the Ria de Arosa embayment (Spain) using canonical correlation analysis. *Jnl Exp. Mar.Biol.Ecol.*, 68(3) : 245.
- PESCE, G.L. 1981. Some harpacticoids from subterranean waters of Greece (Crustacea : Copepoda). *Boll.Zool.*, 48(3-4) : 263-267.
- PESCE, G.L. 1982. A new *Nitocrella* Chappuis, 1923 from phreatic waters of Skyros Island, Greece (Crustacea : Copepoda : Harpacticoida). *Senckenberg.biol.*, 62 (4-6) : 399-403.
- PESCE, G.L. 1983. A new *Nitocrella* from phreatic subterranean waters of Rhodes, Greece (Crustacea, Copepoda, Harpacticoida). *Rev. Suisse Zool.*, 90 (2) : 263-268.
- PESCE, G.L. 1983. A revised key to *Nitocrella* species of the *hirta*-group, including the description of a new species from phreatic waters of Lesbos, Greece (Copepoda Harpacticoida : Ameiridae). *Bull.Zool.Mus.Univ. Amsterdam*, 9(12) : 109-113.
- PETKOVSKI, T. 1982. Weitere neue *Elaphoidella*-Arten (Copepoda, Harpacticoida) aus den subterraneen Binngewässern von Kuba. *Acta Mus.maced.Sci.nat.*, 16(5) : 139-174.
- PETTER, A.J. 1982. *Benthimermis gracilis* n.sp., nouveau mâle de la famille des Benthimermithidae (Nematoda). *Bull.Mus.nat.Hist.nat.*, A4(1-2) : 71-74.
- PETTER, A.J. 1982. Description de deux nouveaux mâles de la famille des Benthimerithidae (Nematoda) de l'Atlantique sud-oriental. *Bull.Mus.nat.Hist.nat.*, 14 (3-4) : 397-403.
- POLLOCK, L.W. 1983. A closer look at some marine Heterotardigrada. II. The morphology and taxonomy of *Bathycriniscus*, with a description of *B. craticulus* n.sp. from the Caribbean. *Bull.mar.Sci.*, 33(1) : 109-117.
- POR, F.D. 1983. A note on two new species of Caenellidae (Copepoda, Harpacticoida) from the Red Sea. *Crustaceana*, 44(2) : 187-197.
- POR, F.D. 1983. Mangrove swamp-inhabiting Harpacticoida of the family Darcythompsoniidae Lang. *J. Crust.Biol.*, 3(1) : 141-153.
- POWELL, E.N., T.J. BRIGHT, A. WOODS & S. GITTINGS. 1983. Meiofauna and the thiobios in the East Flower Garden brine seip. *Mar.Biol.*, 73 : 269-283.
- QUAZANA, R. 1982. The structure and chemical composition of the cuticle in nematodes. *Bull.Soc. Zool. France*, 107(3) : 419-426.
- QUINN, J.F. 1982. Competitive hierarchies in marine benthic communities. *Oecologia*, 54(1) : 129.
- RAO, G.C. 1980. On a new species of *Paradasys* (Gastrotricha, Lepidodasyidae) from Andhra coast, India. *Bull.zool.Surv. India*, 2(2-3) : 213-215.
- RAO, G.C. & A. MISRA. 1980. On a new species of *Hammohydra* (Actinulida, Hydrozoa) from Sagar Island, India. *Bull.zool.Surv. India*, 3(1-2) : 113-114.
- RAO, G.C. 1981. Three new gastrotrichs from Orissa coast India. *Bull.zool.Surv. India*, 3(3) : 137-143.
- RAO, G.C. 1981. *Crasiella indica* n.sp. (Gastrotricha, Macrodasyida) from Orissa coast, India. *Bull.zool.Surv. India*, 4(1) : 3-6.
- RAO, G.C. & A. MISRA. 1983. Studies on the meiofauna of Sagar Island. *Proc. Indian Acad.Sci., Anim. Sci.*, 92(1) : 73-86.
- REID, J.W. 1982. *Forficatorcaris schadani*, a new copepod (Harpacticoida) from central Brazil, with keys to the species of the genus. *J.crust.Biol.*, 2(4) : 578-587.




- REIDENAUER, J.A. & D. THISTLE. 1983. *Sarsameira* (Copepoda : Harpacticoids) : an update and a new species from the deep sea. *TransAmer.micr.Soc.*, 102(2) : 105-112.
- REISE, K. 1983. Experimental removal of lungworms from marine sand affects small zoobenthos. *Mar. Biol.*, 74 : 327-332.
- RENAUD-MORNANT, J. & N. GOURBAULT. 1981. Premières prospections meiofaunistiques en Guadeloupe. I. Les biotopes et leurs peuplements. *Bull.Mus.nat. Hist.nat.*, A3 (4) : 1011-1034.
- RHEIN, L.D. 1983. Biochemical studies of olfaction-role of cilia in odorant recognition. *Jnl Nemat.*, 15(2) : 159-168.
- RIEMANN, F. 1983. Observations of spermatozoa in aquatic nematodes. In : Concepts in Nematode Systematics. Edited by A.R. Stone, H.M. Platt & L.F. Khalil. System.Assoc. Special Vol., N° 22. London & New York, Academic Press : 85-92.
- ROESSLER, E.W. 1982. Estudios taxonomicos, ontogeneticos, ecologicos y etologicos sobre los ostracodes de agua dulce en Colombia. I. Estudio morfológico de una nueva especie colombiana del género *Heterocypris* Glaus, 1892 (Ostracoda, Podocopa, Cyprididae). *Caldasia*, 13 (63) : 429-452.
- ROESSLER, E.W. 1982. Estudios taxonomicos, ontogeneticos, ecologicos y etologicos sobre los ostracodes de agua dulce en Colombia. II. Contribucion al conocimiento del desarrollo embrionario tardio y de los procesos de la eclosion del huevo de *Heterocypris bogotensis* Roessler (Ostracoda, Podocopa, Cyprididae). *Caldasia*, 13 (63) : 453-466.
- ROMEYN, K., L.A. BOUWMAN & W. ADMIRAAL. 1983. Ecology and cultivation of the herbivorous brackish-water nematode *Eudiplogaster paramatus*. *Mar.Ecol., Prog.Ser.*, 12 : 145-153.
- RUMOHR, H. & W.E. ARNTZ. 1982. The benthosgarten - a new approach for the study of soft bottom communities. *Meeresforschung (Reports on Marine Research)*, 29(4) : 225.
- RUBLEE, P.A., S.A. MERKEL & M.A. FAUST. 1983. The transport of bacteria in the sediments of a temperate marsh. *Estuar.Coast. Shelf Sci.*, 16 : 501-509.
- SAMSOEN, L. & D. BARBEZ. 1982. The development of the genital system in *Xiphinema* and the use of genital primordia for separating juvenile stages. *Meded.Rijksfac.LandbouwWet. Gent*, 47(2) : 771-780.
- SARMA, A.L.N., D.G. RAO & P.K. DURAMI. 1983. The phytal macro and meiofauna of Dal Lake (Srinagar, Kashmir). *J.Environ.Biol.*, 4(3) : 117-126.
- SCHIEMER, F. 1983. Comparative aspects of food dependence and energetics of freeliving nematodes. *Oikos*, 41 : 32-42.
- SCHIERENBERG, E. 1982. Development of the nematode *Caenorhabditis elegans*. In : *Developmental Biology of Freshwater Invertebrates*. Edited by F.W. Harrison & R.R. Cowden. Alan R. Liss Inc. (New York), 249 pp.
- ~~SCHWINGHAMER, P.~~ 1983. Generating ecological hypotheses from biomass spectra using caudal analysis: a benthic example. *Mar.Ecol. Prog.Ser.*, 13 : 151-166.
- SCOONES, C.E. 1983. A possible symbiont in *Limnermis* (Nematoda : Mermithidae). *Jnl Invert.Pathology*, 61 : 391-393.
- SEYMOUR, M.K. 1983. Some implications of helical fibres in worm cuticles. *Jnl Zool.*, 199 (3) : 287-295.
- SHINN, G.L. 1983. The life history of *Syndisyrix franciscanus*, a symbiotic turbellarian from the intestine of echinoids, with observations on the mechanism of hatching. *Ophelia*, 22 : 57-79.
- SHIRAYAMA, Y. & M. HORIKOSHI. 1982. Vertical distribution of smaller macrobenthos and larger meiobenthos in the sediment profile in the deep-sea system of Suruga Bay (Central Japan). *J.Oceanogr. Soc. Japan*, 38 : 273-280.
- SUCKLIN, D.M. 1982. Organic wastewater effects on benthic invertebrates in the Manawatu River. N. Zealand. *Jnl Mar.Freshw.Res.*, 16(3-4) : 253.

for the last time,  
The HELP GATE !!



RECENT LITERATURE (continued)

- SYWULA, T. 1982. Notes on the Crustacea inhabiting the subterranean waters of the Baltic Sea Shore. *Acta Hydrol.*, 24(1) : 53-61.
- TACKX, M. & P. POLK. 1982. Feeding of *Acartia tonsa* Dana (Copepoda, Calanoida). Predation on nauplii of *Canuella perplexa* T. & A. Scott (Copepoda Harpacticoida) in the sluice dock at Ostend. *Hydrobiologia*, 94 (2) : 131-133.
- TAJIIKA, K.-I. 1983. Zwei neue Otoplaniden (Turbellaria, Proseriata) aus Hokkaido, Japan. *Annot. Zool.Japon.*, 56(2) : 100-110.
- THIEL, H. 1982. Zoobenthos of the CINECA area and other upwelling regions. *Rapports et Proces-Verbaux des Réunions. Comm.Intern.Explor.Sci. Mer Médit.*, 180 : 323-334.
- THOMASSIN, B.A., C. JOIUN, J. RENAUD-MORNANT, G. RICHARD & B. SLAVAT. 1982. Macrofauna and meiofauna in the coral sediments on the Tiahura Reef complex, Moorea Island (French Polynesia). *Tethys, Stat.Mar. d'Endoume*, 10(4) : 392-397.
- THOMPSON, G.B. & P.K.S. SHIN. 1983. Sewage pollution and the infaunal benthos of Victoria Harbour, Hong Kong. *Jnl Exp.Mar.Biol.Ecol.*, 67(3) : 279.
- TRAVIS, P.B. 1982. Ultrastructural study of the body wall organization and Y-cell composition in the Gastrotricha. *Z.zool.Syst.Evolutionsforsch.*, 21 (!) : 52-68.
- TURBEVILLE, J.M. & E.E. RUPPERT. 1983. Epidermal muscles and peristaltic burrowing in *Carinoma tremaphoros* (Nemertini) : correlates of effective burrowing without segmentation. *Zoomorphology*, 103 : 103-120.
- VANFLETEREN, J.R. 1982. Nematode chromosomal proteins. II. Fractination and identification of the histones of *Caenorhabditis elegans*. *Comp.Bioch.& Physiol.*, 73B (3) : 709-718.
- VIDAKOVIC, J. 1983. The influence of raw domestic sewage on density and distribution of meiofauna. *Mar.Poll.Bull.*, 14(3) : 84-88.
- VRANKEN, G., M. VINCX & L.K. THIELEMANS. 1982. The description of *Monhysterella parelegantula* (De Coeninc) (Nematoda, Monhysteridae), a free-living nematode species new for the Belgian coastal fauna. *Biol.Jb. Dodonaea*, 50 : 93-103.
- WAGELE, J.W. 1982. On a new *Microcerberus* from the Red Sea and the relationship of the Microcerberidae to the Anthuridea. *Zool.Scr.*, 11(4) : 281-286.



*Best wishes for 1984.*

*Carlos*


*Hans*

*Magda*

RECENT LITERATURE (continued)

- WALKER, L.M. 1981. Reproductive biology and development of a marine harpacticoid copepod reared in the laboratory. *J.crust.Biol.*, 1(3) : 376-388.
- WARWICK, R. & H. PLATT. 1983. Third symposium on aquatic nematodes Plymouth, 7-9 September 1981. *Veröff.Inst.Meeresforsch.Bremerh.*, 19 : 203-207.
- WATZIN, M.C. 1983. The effect of meiofauna on settling macrofauna : meiofauna may structure macrofaunal communities. *Oecologia*, 59 : 163-166.
- WELLS, J.B.J., G.R.F. HICKS & B.C. COULL. 1982. Common harpacticoid copepods from New Zealand harbours and estuaries. *N.Z.J.Zool.*, 9(2) : 151-184.
- WELLS, J.B.J. 1983. Keys to aid in the identification of marine harpacticoid copepods. Amendment Bull. N° 4. *Zool.Publ. Victoria Univ. Wellington*, 77 : 1-9.
- WELTON, J., D. STEWART, A. COOLING & M. LADLE. 1982. A comparison of two colonisation samplers with a conventional technique for quantitative sampling of benthic macroinvertebrates in the gravel substratum of an experimental recirculating stream. *Intern.Rev.ges.Hydrob.*, 67(6) : 901-906.
- WESTHEIDE, W. 1982. Ultrastructure of the genital organs in interstitial Polychaetes. III. Penes and ejaculatory ducts in *Hesionides arenaria* (Hesionidae). *Helgoländ.Meeresunters.*, 35(4) : 479-488.
- WESTHEIDE, W. & N.W. RISER. 1983. Morphology and phylogenetic relationships of the neotenic interstitial polychaete *Apodotrocha progenerans* n.gen., n.sp. *Zoomorphology*, 103 : 67-88.
- WHITING, E.R. & H.F. CLIFFORD. 1983. Invertebrates and urban runoff in a small northern stream, Edmonton, Alberta, Canada. *Hydrobiologia*, 102(1) : 73-80.
- WILSON, W.H. jr. 1983. The role of density dependence in a marine infaunal community. *Ecology*, 64 : 295-306.
- WOUTERS, K. 1981. Two new marine podocopid species from Hansa Bay, Papua New Guinea (Crustacea : Ostracoda). *Bull.Inst.roy.Sci.nat.*, 53(16) : 12 pp.
- WRIGHT, K.A. 1983. Nematode chemosensilla - form and function. *Jnl Nemat.*, 15(2) : 151-158.
- ZHIMUNSKY, A.V. & V.I. KUZMIN. 1983. Critical levels in the species structure of bottom communities, as illustrated by invertebrates of the Vostok Bay (Sea of Japan). *Biol. Morya*, 2 : 3.
- ZUCKERMAN, B.M. 1983. Hypotheses and possibilities of intervention in nematode chemoresponses. *Jnl Nemat.*, 15(2) : 173-182.

BYE BYE !!



RIJKSUNIVERSITEIT GENT  
Instituut voor Diabetologie  
Laboratorium voor Biofysica  
en Systematiek  
Leeghwaterstraat 35 - B-9000 GENT  
BELGIE

UITWISSELING VAN WETENSCHAPPENDE UITGAVEN  
(DRUKWERK HALF-TARIEF : CONVENTIE VAN STOCKHOLM)

