
PSAMMONALIA

The Newsletter of the International Association of Meiobenthologists



Number 161, June 2014

Composed and Printed at: Lab. Of Biodiversity Dept. Of Life Science, College of Natural Sciences, Hanyang University, 222 Wangsimni – ro, Seongdong-gu, Seoul 133-791, Korea.



DONT FORGET TO RENEW YOUR MEMBERSHIP IN IAM!

THE APPLICATION CAN BE FOUND AT:

http://www.meiofauna.org/appform.html

This newsletter is mailed electronically. Paper copies will be sent only upon request

The International Association of Meiobenthologists Executive Committee

Wonchoel Lee Chairperson	Lab. Of Biodiversity, (#505), Department of life Science, college of Natural Sciences, Hanyang University. [wlee@hanyang.ac.kr]
Nikolaos Lampadariou	Hellenic Centre for Marine Research, PO Box 2214, 71003, Heraklion,
Past Chairperson	Crete, Greece [nlamp@hcmr.gr]
Ann Vanreusel	Ghent University, Biology Department, Marine Biology Section, Gent,
Treasurer	B-9000, Belgium [ann.vanreusel@UGent.be]
Jyotsna Sharma	Department of Biology, University of Texas at San Antonio, San Antonio,
Assistant Treasurer	TX 78249-0661, USA [Jyotsna.Sharma@utsa.edu]
Vadim Mokievsky	P.P. Shirshov Institute of Oceanology, Russian Academy of Sciences,
(term expires 2016)	36 Nakhimovskiy Prospect, 117218 Moscow, Russia [vadim@ocean.ru]
Walter Traunsburger	Bielefeld University, Faculty of Biology, Postfach 10 01 31, D-33501
(term expires 2016)	Bielefeld, Germany [traunspurger@uni-bielefeld.de]
Hanan Mitwally	Faculty of Science, Oceanography, University of Alexandria, Moharram
(term expires 2019)	Bay, 21151, Egypt . [h_mitwally@yahoo.com]
Gustavo Fonseca	Universidade Federal de São Paulo, Instituto do Mar, Av. AlmZ Saldanha
(term expires 2019)	da Gama 89, 11030-400 Santos, Brazil. [gfonseca@unifesp.br]

Ex-Officio Executive Committee (Past Chairpersons)

1966-67	Robert Higgins (Founding Editor)	1987-89	John Fleeger
1968-69	W. Duane Hope	1990-92	Richard Warwick
1970-71	John Gray	1993-95	Paul Montagna
1972-73	Wilfried Westheide	1996-98	Magda Vincx
1974-75	Bruce Coull	1999-01	Yoshihisa Shirayama
1976-77	Jeanne Renaud-Mornant	2002-04	John Lambshead
1978-79	William Hummon	2005-07	Keith Walters
1980-81	Robert Higgins	2008-10	Paulo Santos
1982-83	Carlo Heip	2011-13	Nikolaos Lampadariou
1984-86	Olav Giere		

Board of Correspondents

Er Hua	College of Marine Life Science, Ocean University of China, 5 Yushan Road, Qingdao 266003, P.R.C. [huaer@ouc.edu.cn]
Martin Sørrensen	Natural History Museum, Denmark. [mvsorensen@snm.ku.dk]
Samuel Gomez	Universidad Nacional Autónoma de México. Joel Montes Camarena s/n, 82040 Mazatlán, Sinaloa, México. [samuelgomez@ola.icmyl.unam.mx]
Jeroen Ingels	Plymouth Marine Laboratory, Prospect Place, The Hoe, Plymouth PL1 3DH, UK [jein@pml.ac.uk]
Cheng Chen	University of Malaysia Sabah, Malaysia [chengann@ums.edu.my]

Contents	
Contents	3
Editorial	3
Database	3
Frontiers in Marine Science.	3
Nematode designing	4
Books at a Glance	4
Proceedings of the Biological	
Society of Washington	4
Handbook of Zoology: Nematoda	4
Meiofauna Gathering	5
Approaches to Study Living	
Foraminifera	5
Upcoming conferences	5
3 rd World Conference on Marine	
Biodiversity	5
8 th International Shallow Lakes	
Conference	6
8 th International Symposium	-
on Eastern Mediterranean	
Geology.	6
Geology	0
Conferences, Workshops held and	
Registrations closed	. 6

Editorial

Dear Colleagues,

Really time is like an arrow! It has been a year ago since the FiftIMCO in Korea. I hope all of you are having a fruitful time in your research and daily life. Here's a report for our recent activities, and news related to our society. I must express my sincere thanks to Mr. Vinod Vakati who is editing the current issue of Psammonalia. He will keep devoting to this job, hopefully until the end of 2016. I have already hot summer in Seoul, and hopefully all of you have a nice summer holiday season.

With best wishes,

By Wonchoel Lee

Editor – in – Chief Dr. Wonchoel Lee

Editorial Board Vinod Vakati

12 th Copepod international conference	
on copepoda in korea	6
Systematics of freshwater subterranean	
Malacostraca	7
TMS joint Foraminifera and Nannofossil	
Spring Meeting 2014	7
1 st Meeting of Asian Ostracodologists in	
Korea	7
6 th International Congress of Nematology.	8
43 rd Annual Benthic Ecology Meeting 2014.	8
News from members	8
Norliana Rosli	8
Melissa Rohal.	8
Kong Qiang	8
Travelled to Korea	9
Prof. Alexei Valerjevitch TCHESUNOV	9
Dr. Hendrik Segers	9
Obituaries	9 9
Recent Literature	9 15 16

Data Base Frontiers in Marine Science




It's a new journal in the 'Frontiers family' called 'Frontiers in Marine Science - Marine systematics and Taxonomy'. It's an open access journal, and besides being nested in the Frontiers series that usually maintains good impact factors, importantly this journal is designed for taxonomy, which makes it relevant for many members of our community.

Dr. Martin Vinther Sørensen, Associate professor at Natural History Museum of Denmark, Who has been appointed as subject editor for Cycloneuralia, meaning that all contributions regarding, e.g., nematodes, kinorhynchs and priapulids go through him. We hope people will consider it for their future descriptions. Please go

through the journal web page

http://www.frontiersin.org/Marine_Systematics_and Taxonomy/about

Nematode designing



Open Worm is an open source project dedicated to creating a virtual C.elegans nematode in a computer. It aims to build the first comprehensive computational model of C.elegans, a microscopic roundworm. With only thousand cells, it solves basic problems such as feeding, mate – finding and predator avoidance. Despite being extremely well studied in biology, this organism still eludes a deep, principled understanding of its biology.

People used a bottom-up approach, aimed at observing the worm behavior emerge from a simulation of data derived from scientific experiments carried out over the past decade. To do so we are incorporating the data available in the scientific community into software models.

Please fallow the link for deeper understandings http://www.openworm.org/index.html

Books at a glance


Proceedings of the Biological Society of Washington

standards	and the second se
Filleral International Wolfstein Conference	
And a second sec	PROCEEDINGS OF THE
Marine Augusta, Malana Anganana, Ka Samana in 1986, Shi Pananangat, Shina Mananani, Kabuta Katana Kabuta, Manana and Andreas, and Andreas, and	
	BIOLOGICAL SOCIETY
And a loss from the first for the sector of	
	• WASHINGTON
Particle controls to An other of Andrescott even Participation, Manufacture And Manufacture and Manufacture and Participation of Participation and Participa	
Note of constraining of Stational Conference on Conference	
too white hanges in stor to be to be having an exercise. If	
Solve 8 Involves fame free form	
And the objects division as Branches again them in the last in the second	
A set up to this pay from the function for the first of t	
And the set of the set	
And the characteristic from the design of the characteristic former the sector of the first sector of the	
I she personal to the prior of the balance has been been been been been been been bee	
of Second Standard Star Sec. Annual States	A (32.50
Reading of an other building of a second for an art from highly to a second for an art from the second for the	
tota artista a	5.5.5741
	FIFETACO
	INTERNAL PROPERTY AND ADDRESS OF
	A STATE OF A
	Minetel 1

This special issue of the Proceedings of the Biological Society of Washington is dedicated to the "Fifteenth International Meiofauna Conference (FiftIMCo)" and contains 18 selected papers in two sections: I) "Biodiversity of Meiofauna" with ten papers, and II) "Invertebrate fauna from Korea" with eight papers.

The papers presented in this issue represent the first collective publication of proceedings of a meeting of the International Meiofauna Conference since its inception in 1969.

Hand Book of Zoology: Nematoda



Overview


- Comprehensive account of the morphology, ecology, phylogeny and diversity of the Nematoda.
- Taxa with important roles as parasites, in terrestrial and aquatic communities
- Recent systematic and evolutionary questions are treated.

Aims and Scope

This section of the Handbook of Zoology is intended as a comprehensive and exhaustive account of the biology of the taxa Gastrotricha, Nematoda, Nematomorpha, Priapulida, Kinorhyncha, Loricifera, Gnathostomulida, Micrognathozoa, Rotifera, Seisonida and Acanthocephala, covering all relevant topics such as morphology, ecology, phylogeny and diversity. The series is intended to be a detailed and up-to-date account of these taxa. As was the case with the first edition, the Handbook is intended to serve as a reliable resource for decades.

Many of the taxa of this volume are comparatively unknown to many biologists, despite their diversity and importance for example in meiofaunal communities (Gastrotricha, Rotifera, Gnathostomulida), their fascinating recent discoveries (Loricifera and Micrognathozoa), their importance parasites (many nematodes, as Nematomorpha, Acanthocephala) their and importance for evolutionary questions (e.g. Priapulida, Gastrotricha). The groups covered range from those poor in species (such as Micrognathozoa with 2 known species) to the species-rich and diverse Nematoda and their ca. 20.000 described species. While each taxon is covered by one chapter, nematodes are treated in several chapters dedicated to their structural, taxonomic and ecological diversity.

Meiofauna Gathering



This book consists of theoretical and practical explanations about Environmental and Societal Significance, especially with regards to Tsunami events. Interestingly this book even covered with important aspects of Meiofauna assemblages within few weeks after Tsunami events.

Note: Chapter 9 Ecological Status of Sandy Beaches after Tsunami Events: Insights from Meiofauna Investigations After the 2011 Tohoku-oki Tsunami, Sendai Bay, Japan.

Approaches to Study Living Foraminifera



This book concerns about the experimental approaches with unique concepts to study living foraminifera. Especially it's useful to the one who wish to study living foraminifera with a geological and/or paleontological background rather than a biological background.

Note: It's freely available online.

Upcoming conferences

The fallowing content would be of interest. Perhaps some of these already been advertised in the previous issue but they are presented again as they are still in the future.

3rd World Conference on Marine Biodiversity



12-16 Oct, 2014 Huanghai Hotel, Qingdao, China

http://wcmb2014.csp.escience.cn/

World Conference of Marine Biodiversity III Committees For the organization of a special session on "Ecological andevolutionary paradigms in marine biology and how meiofauna can be used to address them".

The session will address how marine meiofauna research is contributing to advances on major biological, ecological and evolutionary paradigms at different levels of biological organisation; i.e. from the molecular level (genome, proteins,etc.) to organismal, population, communities and ecosystems, and how meiofauna can help us to tackle issues on climate change, anthropogenic pressures, conservation, marine management and sustainable development. It will have six themes:

- 1. Marine Biodiversity & Global changes
- 2. Marine Ecosystem Structure & Function
- 3. Marine Ecosystem Safety
- 4. Marine Biological Observations
- 5. Marine Biological Resources
- 6. Deep Sea Biodiversity
- June 15th, 2014 Dead line for Early-bird registration and abstract submission.
- July 1st, 2014 Notification for the acceptance of Abstract
- August 30th ,2014 Deadline for regular registration

Organizers and chairs of the special session,

Dr. Jeroen Ingels (jein@pml.ac.uk), Prof. Zhi Nan Zhang,

Prof. Em. Richard Warwick, Dr. Gustavo Fonseca

8th International Shallow Lakes Conference



12-17 October, 2014 Antalya, Turkey.

http://www.shallowlakes2014.org/pages

The guiding theme of the 8th International Shallow Lakes Conference is **"Ecology of Shallow Lakes in a Fast-Changing World"**. Its purpose is to provide \pm a stimulating scientific environment.

Important Dates

- Abstract submission Deadline: 16th April 2014
- Notification of Acceptance: 30th May

2014

- Early Registration Deadline: 16th June 2014
- Author Registration Deadline: 1st July 2014

8th International Symposium on East ern Mediterranean Geology



13th-17th Oct, 2014 Atatürk Cultural Center, Mugla Sıtkı Kocman University, Turkey.

http://isemg.org/

This event is dedicated for certain topics on Eastern Mediterranean Geology with two different themes and sessions. It has even covered with the topic "Paleontology", so it would be a great opportunity for the people who are dealing with marine microscopic fossil records.

- 15th July Dead line for Abst ract Submission
- 15th August Deadline for Early registration
- 16th Aug 17th Oct Registra tions.

Conferences, Workshops held and Registrations closed

This content maybe to evoke about the current activities of meiobethology and to make young researchers always heedful of events.

12th International Conference on Copepoda in Korea

12th International Conference on Copepoda in KOREA



nference Workshop: July 8th - 12th 2014 at Chonnam National University Main Conference: July 14th - 18th 2014 at Hanyang University For further information on the conference, please contact us thy. Department of Life Science, Cellege of Natural Science, Hanyang University. SeoJ 133-291 KoTLA 16-423-2220-1704 / Fac. 422-2220-2704 / Jie / Fac. 420-2010 / Jie / Fac. 420-2010 / Jie /

Welcome to 12th ICOC

8^{th -} 12th July, 2014 Chonnam National University, Korea

14th -18th 2014 Hanyang University, Korea http://www.12icoc.kr/12th/sub01.html

The objective of the course is to provide postgraduate students/postdoctoral fellows with a comprehensive and state-of-the-art introduction to the diversity, morphology, systematics and biology of benthic, planktonic and symbiotic copepods, including training in technical skills. The course will be taught by an international team of five tutors, each being an internationally renowned specialist in a different area of copepod systematics.

Systematics of freshwater subterranean Malacos traca: Morphology, molecular systematics, and web-taxonomy



Practical experiences:

- Techniques used for study of morphology (Amphipoda, Isopoda)
- Use of online morpho-databases (Amphipoda)
- Molecular laboratory techniques (Amphi poda,Isopoda, Decapoda)
- Analytic methods used for morphological & Molecular data.

Name of mentor / supervisor: Cene Fišer Registration: Closed 30th April, 2014.

Note: Please check the below link as "DEST" offers

several taxonomy courses. It's a great opport unity for young research scholars to explore

about meiobenthology.

http://www.taxonomytraining.eu/

TMS joint Foraminifera and Nannofossil Spring

Meeting 2014: Foraminifera and nannofossils through time: qualification and quantification



TMS joint Foraminifera and Nannofossil Spring Meeting 2014: Foraminifera and nannofossils through time: qualification and quantification Monday 23rd - Wednesday 25th of June 2014, Texel, The Netherlands

Meetings Publications

23rd – 25th June 2014, Texel, The Netherlands. http://www.tmsoc.org/foramnanno2014.html#Introduction

The theme for this year's event was **"Foraminifera and Nannofossils through time: qualification and quantification"** Studies focusing on modern-day processes as well as paleontological application of foraminifera and nanno fossils.

These may include studies on ecology, morphometrics, evolution, genetics and morphologybased taxonomy, biomineralization, carbonategeoche mistry, biostratigraphy, paleoceanography and paleoc limatological applications of carbonate microfossils.

Note: The Micropalaeontological Society organizes Many events. Please check the below link <u>http://www.tmsoc.org/</u>

1st Meeting of Asian Ostracodologists in Korea



 $23^{rd} - 27^{th}$ June 2014, Seoul, South Korea.

http://www.mao1.kr/

This event is organized for the very first time in Asia. It will be a great initiation for the expansion of research activities on Ostracods.

The theme of this conference was to spread the knowledge of East Asian biodiversity of Ostracods and Paleoecology.

Sponsors:

- Hanyang University
- Invertebrates Research Team of "Discovery

of Indigenous Species in Korea"

- BK21 PLUS Eco – Bio Fusion Research Team

6th International Congress of Nematology



4th – 9th May 2014, Cape Town, South Africa.

The theme of the conference was "Ensuring the future of nematology by encouraging student participation, relying on experience and empowering developing nations to ensure global food security"

43rd Annual Benthic Ecology Meeting 2014



19th -22nd March 2014, Jacksonville, Florida.

Purpose of the Benthic Ecology Meeting Society

The Benthic Ecology Meeting is a nonprofit organization, established to run a meeting yearly with the purpose of exchange of scientific information on benthic ecosystems and to foster the next generation of benthic biologists. The mission of the BEM is to: promote research in benthic ecosystems; support the exchange of information about benthic ecology and foster the next generation of benthic ecologists through student participation. The BEM is organized exclusively for educational and scientific purposes.

News from members

Norliana Rosli

University of Otago, New Zealand



iyana113@gmail.com

I am Norliana Rosli, a PhD student from University of Otago, New Zealand. I am working on ecology and taxonomy of deep-sea meiofauna (particularly on nematodes) from New Zealand's continental margin for my PhD project, under **Keith Probert** (University of Otago, New Zealand) and Daniel Leduc (National Institute of Weather & Atmospheric Research (NIWA), New Zealand). Currently, I am working on the description of a new deep-sea nematode species.

I also have an interest in deep-sea Kinorhynch from my samples that I'm working on. I have found these to be widely distributed in New Zealand waters, and because they are not well studied, they would be an interesting future research topic.

Melissa Rohal

Texas A&M University, USA



My name is Melissa Rohal. I am a second year PhD

student at Texas A&M University in Coastal and Marine System Science, studying under **Dr. Paul Montagna.** I received my masters from Florida State University in Biological Oceanography from Dr. David Thistle. My research interests lie in meiofauna ecology. My master's thesis was titled "Meiofaunal abundances and faunal similarity on the continental rise off the coast of California. "My dissertation topic will involve study meiofauna ecosystem services.

I am currently participating in the East Asian and Pacific Summer Institute (EAPSI) program in South Korea. I am studying with **Dr. Wonchoel Lee** at Hanyang University. The goal of my project is to learn harpacticoid copepod taxonomy to be used as a valuable tool in my future research.

Kong Qiang

East China Normal University kongq0903@hotmail.com

My name is Kong Qiang. I am a third-year graduate student in



the Life Science Department at East China Normal University (ECNU). My major is Zoology, studying under Prof. Na Yu and my research interest is "Taxonomy and systematics of freshwater ostracods".

I visited Laboratory of Biodiversity, Department of life science, Hanyang University during the period from Sep 1 to Nov 27 2013. During this period, I have involved in many scientific activities including morphological and molecular techniques for "Systematic study of Ostracoda" and have participated in the regular seminar series in the laboratory. Special thanks to Prof. Ivana Karanovic and Prof. Wonchoel Lee for providing appropriate working conditions. I was impressed by their devotion to the science research. I was lucky to know Hyunsu Yoo, Madhuri.S, Vinod.V and other students of Lab. They are the most valuable treasure of my memories.

Travelled to Korea

Prof. Alexei Valerjevitch TCHESUNOV

E-mail: AVTchesunov@yandex.ru



He visited my lab for a period of one month (Mar 2014) to share his knowledge about nematodes to my students; I sincerely thank him for spending his valuable time with us.

He has been working on free-living marine nematodes: morphology, taxonomy and ecology. His current research interest is Deep-sea free-living nematodes: taxonomy, morphology and communities; nematode parasites of marine invertebrates, phylogeny of certain marine, terrestrial and parasitic nematodes.

He is currently working as a professor at Department of Invertebrate Zoology, Faculty of Biology, Lomonosov's Moscow State University (Moscow, Russia).

Dr. Hendrik Segers

Email: hsegers@gmail.com

I should also thank my colleague who is dealing with rotifer taxonomy. He has visited my lab for two weeks to teach my student about freshwater rotifers. He was actively participated with his admirable presentation on classification and nomenclature of species.



He is currently working in Royal Belgian Institute for natural Sciences, Belgium. He is even involved in many activities as a member in Royal Belgian Zoological Society, Societas Internationalis Limnologiae (SIL) and Society for the Management of Electronic Biodiversity Data (SMEBD).

Obituaries

Love of Meiofauna

Dear Colleagues,

It gives me a great pleasure to introduce you to a new journal that published recently by Thomas Bartolomaeus. He paid rich tribute by addressing about the life journey and death of Dr. Peter Ax and his contributions to the field of comparative morphology and phylogenetic systematics in interstitial Meiofauna. It would be a great experience to know about the life history of our colleague Peter Ax.

Title: In love of meiofauna, morphology, and Phylogenetic systematics: an obituary for Peter Ax 29.03.1927-02.05.2013. Zoomorphology (2014) 133:3-6

Author: Thomas Bartolomaeus

Recent Literature

[1] Aguilar-Alberola JA and Mesquita-Joanes F (2014). Breaking the temperature-size rule: Thermal effects on growth, development and fecundity of a crustacean from temporary waters. Journal of Thermal Biology 42: 15 -

- [2] Alajmi F, Zeng C and Jerry DR (2014). Improvement in the reproductive productivity of the tropical calanoid copepod Parvocalanus crassirostris through selective breeding. Aquaculture 420-421: 18-23.
- [3] Altukhov DA, Gubanova AD and Mukhanov VS (2014). New invasive copepod Oithona davisae Ferrari and Orsi, 1984: seasonal dynamics in Sevastopol Bay and expansion along the Black Sea coasts. Marine Ecology 35:28-34.
- [4] Arzul I, Chollet B, Boyer S, Bonnet D, Gaillard J, Baldi Y, Robert M, Joly JÂP, Garcia C and Bouchoucha M (2014). Contribution to the understanding of the cycle of the protozoan parasite Marteilia refringens. Parasitology 141: 227-240.
- [5] Alwes F and Scholtz G (2014). The early development of the onychopod cladoceran Bythotrephes longimanus (Crustacea, Branchiopoda). Frontiers in Zoology 11(1):10.
- [6] Ashckenazi-Polivoda S, Rak C, Almogi-Labin A, Zsolt B, Ovadia O, and Abramovich S (2014). Paleoecology of the K-Pg mass extinction survivor Guembelitria (Cushman): Isotopic evidence from pristine foraminifera from Brazos River, Texas (Maastrichtian). Paleobiology 40(1): 24-33.
- Baar Y, Rosen J and Shashar N (2014). Circular polariz ation of transmitted light by Sapphirinidae copepods. PLoS ONE 9: e86131.
- [8] Bertolani R, Bartels PJ, Guidetti R, Cesari M and Nelson DR (2014) Aquatic tardigrades in the Great Smoky Mountains National Park, North Carolina and Tennessee, U.S.A., with the description of a new species of Thulinius (Tardigrada, Isohypsibiidae). Zootaxa 3764(5):524-536.
- [9] Bozkurt A and Can MF (2014). Seasonal variations in body length and fecundity of 2 copepod species: Termocyclops crassus (Fischer, 1853) and eudiaptomus drieschi (Poppe & mrázek, 1895). Turkish Journal of Zoology 38: 222-228.
- [10] Burris ZP and Dam HG (2014). Deleterious effects of the ciliate epibiont Zoothamnium

sp. on fitness of the copep od Acartia tonsa. Journal of Plankton Research 36:788-799.

- [11] Cavaleiro FI and Santos MJ (2014). Numerical and functional responses to the presence of a competitor - The case of Aggregata sp. (Apicomplexa: Aggregatidae) and Octopicola superba (Copepoda: Octopicolidae). <u>Parasitology</u> 141: 216-226.
- [12] Chen X Fisher NS and Baines SB (2014). Influence of algal iron content on the assimilation and fate of iron and carbon in a marine copepod. Limnology and Oceanography 59:129-140.
- [13] Christie AE (2014) Prediction of the peptidomes of Tigriopus californicus and Lepeophtheirus salmonis (Copepoda, Crustacea). General and Comparative Endocrinology 201: 87-106.
- [14] Christie AE, Fontanilla TM, Roncalli V, Cieslak MC and Lenz PH (2014) Identification and developmental expression of the enzymes responsible for dopamine, histamine, octopamine and serotonin biosynthesis in the copepod crustacean Calanus finmarchicus. General and Comparative Endocrinology 195: 28-39.
- [15] Cohuo-Durán S, Pérez L and Karanovic I (2014) On *Limnocytherina axalapasco*, a new freshwater ostracod (Ostracoda: Limnocytheridae) from Mexican crater lakes. Revista de Biología *Tropical*, 62 (1): 15-32.
- [16] Cohen JH, McCormick LR and Burkhardt SM (2014). Effects of Dispersant and Oil on Survival and Swimming Activity in a Marine Copepod. Bull Environ Contam Toxicol 92:381–387.
- [17] Cornils A and Held C (2014). Evidence of cryptic and pseu docryptic speciation in the Paracalanus parvus species com plex (Crustacea, Copepoda, Calanoida). Frontiers in Zool ogy 11(1):19
- [18] Costa BVMD, Yogui GT and Souza-Santos LP (2014). acute toxicity of tributyltin on the marine copepod *Tisbe biminiensis*. Brazilian Journal of Oceanography. 62(1):65-69.
- [19] Craig C, Kimmerer WJ and Cohen CS (2014). A DNA-based method for investigating feeding by copepod nauplii. Journal of Plankton Research. 36: 271-275.

- [20] Daase M , Varpe O and Falk-Petersen S (2014). Non-consumptive mortality in copepods: Occurrence of Calanus spp. Carcasses in the Arctic Ocean during winter. Journal of Plankton Research 36: 129-144.
- [21] Dahms H-U Tseng L-C Shim DM-C and Hwang J-S (2014) Hydrothermal vent effluents affect life stages of the cop epod tisbe SP. Journal of Marine Science and Technology (Taiwan) 22:82-88.
- [22] Diagle S T, Fleeger JW, Cowan J H, and Pascal P-Y (2013). What is the relative importance of phytoplankton and attached macroalgae and epiphytes to food webs on offshore oil platforms? Marine and Coastal Fisheries, 5:53-64.
- [23] Dubey A and Sharma V (2014). Morphological studies of five known nematode species via taxa-informatics approaches. Science Innovation 2(1): 7-10.
- [24] Eilious Hosain MD, Nazrul Kabir AKM, Robiul Awal Hossain MD and Niamul Nase M (2014). zooperiphyton abundance, physicochemical features and their interrelationships of national museum pond of dhaka, Bangladesh. Bangladesh research publications journal. 9: 284-291.
- [25] El-Rashidy HH and Boxshall GA (2014). A parasite ic copepod (Cyclopoida: new Bomolochidae) from ponyfish а (Leiognathidae) caught in Egyptian Mediterranean waters, with a review of hosts and key to species of Nothobom olochus. Systematic Parasitolo gy 87: 111-126.
- [26] Escrivà A, Rueda J, Armengol X and Mesquita-Joanes F (2014). Artificial dam lakes as suitable habitats for exotic invertebrates: Ostracoda ecology and distribution in reservoirs of the Eastern Iberian Peninsula. Knowl. Managt. Aquatic Ecosyst 412: 09.
- [27] Fokin SI, Schrallhammer M, Chiellini C, Verni F and Petroni G (2014) Free-living ciliates as potential reservoirs for eukaryotic parasites: occurrence of a trypanosomatid in the macronucleus of Euplotes encysticus. Parasites and Vectors 7(1): 203.
- [28] Fuentes-Reinés JM and Suárez-Morales E (2014). A new subspecies of Nitokra affinis Gurney, 1927 (Copepoda, Harpacticoida)

from the Caribbean coast of Colombia. Zookeys 378:1-15

- [29] Fuentes-Reinés JM and Suárez-Morales E (2014). A new subspecies of Nitokra affinis Gurney, 1927 (Copepoda, Harpacticoida) from the Caribbean coast of Colombia. Zookeys 378:1-15.
- [30] Fujimoto S (2014). A new Stygarctus (Arthrotardi grada: Stygarctidae) from Japan, with entangled seminal receptacle ducts. Zootaxa. 3784 (2): 187–195.
- [31] Fujimoto S, Miyazaki K, and Suzuki AC (2013). A new marine tardigrade, Tanarctus diplocerus (Arthro tardigrada: Halechiniscidae) from Japan. Journal of the Marine Biological Association of the United Kingdom. 93(4): 955–961.
- [32] Fujimoto S and Miyazaki K (2013). Neostygarctus lovedeluxe n. sp. from the Miyako Islands, Japan: The first record of Neostygarctidae (Heterotardigrada: Arthrotardigrada) from the Pacific. Zoological Science. 30(5): 414–419.
- [33] Glippa O, Denis L, Lesourd S and Souissi S (2014) Seasonal fluctuations of the copepod resting egg bank in the middle Seine estuary, France: Impact on the nauplii recruitment. Estuarine, Coastal and Shelf Science 142: 60-67.
- [34] Gökçe D and Özhan turhan d (2014). Evaluation of vertical and horizontal changes in community structure of zooplankton in a deep dam lake. Turkish Journal of Zoology 38(1): 11-22.
- [35] Grzelak K, Szczuciński W, Kotwicki L and Sugawara D (2014). Ecological Status of Sandy Beaches After Tsunami Events: Insights from Meiofauna Investigations After the 2011 Tohoku-oki Tsunami, Sendai Bay, Japan. Advances in Natural and Technological Hazards Research 35: 177-191.
- [36] Ha S, Min W-K, Kim D-S and Shin K-H (2014). Trophic importance of meiofauna to polychaetes in a seagrass (Zostera marina) bed as traced by stable isotopes. Journal of the Marine Biological Association of the United Kingdom 94:121-127.
- [37] Hansena BH, Altinb D, Bonauneta K and Øverjordet IB (2014) Acute Toxicity of Eight Oil Spill Response Chem icals to Temperate, Boreal, and Arctic Species.

Journal of Toxicology and Environmental Health 77:495-505.

- [38] Herranz M, Boyle MJ, Pardos F and Neves RC (2014). Comparative myoanatomy of Echinoderes(Kinorhyncha): a comprehensive investigation by CLSM and 3D reconstruction. Frontiers in Zoology 11(1): 31.
- [39] Herranz M, Sa'nchez N, Pardos F and Higgins RP (2014). New Kinorhyncha from Florida coastal waters. Helgol Mar Res 68:59–87.
- [40] Hinder SL, Gravenor MB, EdwardS M, Ostle C, Bodger OG, Lee PLM, Walne AW and Hays GC (2014). Multi-decadal range changes vs. thermal adaptation fornorth east Atlantic oceanic copepods in the face of climate change. Global Change Biology 20:140-146.
- [41] Hong J and Lee W (2014). Two new species of free-living marine nematodes (Nematoda: Oncholaimida: Encheli diidae) from Maemul Island, Korea. ZOOTAXA 3785 (3): 419–437.
- [42] Hwang DS, Suga K, Sakakura Y, Park HG, Hagiwara A, Rhee JS and Lee JS (2014). Complete mitocho ndrial genome of the monogonont rotifer, Brachionus koreanus (Rotifera, Brachionidae). Mitochondria DNA 25(1): 29–30.
- [43] Ivory JA, Tang KW and Takahashi K (2014) Use of Neutral Red in short-term sediment traps to distinguish between zooplankton swimmers and carcasses. Marine Ecology Progress Series 505: 107-117.
- [44] Jeyaraj N, Santhanam P, Raju P, Ananth S and Jothiraj K(2014). Alternative methods for marine harpactic oid copepod, macrosetella gracilis production in marine fish larviculture. International Jornal of Zoological Research 10:1-8.
- [45] Jeong HG Soh HY and Suh HL (2014).
 Morphological and genetic differentiation of heteromorphy in Labidocerarot unda (Copepoda, Calanoida, Pontellidae).
 Zootaxa 3764: 181-191
- [46] Karanovic I & Humphreys WF (2014)
 Phylogeny and diversity of Timiriaseviinae ostracods (Podocopida, Cytheroidea) with description of one new species from arid Western Australia. Systematics &

Biodiversity, 12 (1): 93-110.

- [47] Karanovic T, Kim K and Lee W (2014) Morphological and molecular affinities of two East Asian species of stenhelia (Crustacea, Copepoda, Harpacticoida). Zookeys 411: 105-143.
- [48] Karanovic T and Kim K (2014) New insights into polyphyly of the harpacticoid genus Delavalia (Crustacea, Copepoda) through morphological and molecular study of an unprecedented diversity of sympatric species in a small South Korean bay. Zootaxa 3783: 001-096.
- [49] Kashi L and Karegar A (2014). Description of Helicotylen chus persiaensis sp. n. (Nematoda: Hoplolaimidae) from Iran. <u>Zootaxa</u> 3785: 575-588.
- [50] Külköylüoglu O, Sarı N, Dügel M, Dere S, Dalkıran N, Aygen C and Dincer SC (2014) Effects of limnoecological changes on the Ostracoda (Crustacea) community in a shallow lake (Lake C, ubuk, Turkey). Limnologica 46: 99-108.
- [51] Leduc D (2014) . Free-living nematodes of the genus Halomonhystera (Monhysteridae) from the Southwest Pacific region and Ross Sea. New Zealand Journal of Zoology. 41: 46–57.
- [52] Lenz PH, Roncalli V, Hassett RP, Wu L-S, Cieslak MC, Hartline DK and Christie AE (2014). De Novo Assembly of a Transcriptome for Calanus finmarchicus (Crustacea, Copepoda) – The Dominant Zooplankter of the North Atlantic Ocean. PLoS ONE 9(2): e88589.
- [53] Liberto R, Ce'sar II and Mesquita-Joanes F (2014). Post embryonic growth in two species of freshwater Ostra coda(Crustacea) shows a size-age sigmoid model fit and temperature effects on development time, but no clear temperature-size rule (TSR) pattern. Limnology 15:57–67.
- [54] Lim B-J and Min G-S (2014). Two new species of hyper benthic calanoid copepods (Crustacea: Calanoida: Ariet ellidae) from South Korea. Journal of Natural History 48: 523-542.
- [55] Maps F, Record NR and Pershing AJ (2014). A metabolic approach to dormancy in pelagic copepods helps explaining inter- and intra-specific variability in life-history

strategies. Journal of Plankton Research 36:18-30.

- [56] Marchitto TM, Curry WB, Lynch-Stieglitz J, Bryan SP, Cobb KM and Lund DC (2014). Improved oxygen isotope temperature calibrations for cosmopolitan benthic foraminifera. Geochimica et Cosmochimica Acta 130: 1–11.
- [57] Meleg IN, Năpăruş M, Fiers F, Meleg IH, Vlaicu M and Moldovan OT (2014). The relationships between land cover, climate and cave copepod spatial distribution and suitability along the Carpathians. Environmental Conservation 41:206-216.
- [58] Mitwally H M. and Fleeger J W (2013). Long-term nutrient enrichment elicits a weak density response by saltmarsh meiofauna. Hydro biologia, 713:97-114.
- [59] Mohammed MA, Keyser D, Al-Wosabi MA, Al-Khirbash B and Al-Qadassi WM (2014) Taxonomy and distribution of fresh water Ostracoda from Socotra Island, Yemen. Revue de Micropaléontologie 57:23-33.
- [60] Otto SA, Kornilovs G, Llope M and Möllmann C (2014). Interactions among density, climate, and food web effects determine long-term life cycledynamics of a key copepod. Mar Ecol Prog Ser 498: 73 -84.
- [61] Peña-Santiago R, Niknam G, Álvarez-Ortega S and Jabbari H (2014). Metaxonchium persicum sp. n. from Iran (Nem atoda, Dorylaimida, Belondiridae), with an updated taxonomy of the genus. Zootaxa 3785: 501-517.
- [62] Piccinetti CC, Tulli F, Tokle NE, Cardinaletti G and Olivotto I (2014) The use of preserved copepods in sea bream small – scale culture: biometric, biochemical and molecular implications. Aquaculture Nutrition 20(1): 90-100.
- [63] Rice E, Dam HG and Stewart G (2014). Impact of Climate Change on Estuarine Zooplankton: Surface Water Warming in Long Island Sound Is Associated with Changes in Cope pod Size and Community Structure. Estuaries and Coasts 37:1-11.
- [64] Rasouli H, Aygen C and Külköylüoğlu O (2014) Contri bution to the Freshwater Ostracoda (Crustacea) Fauna of Turkey:Distribution and Ecological Notes 14:11-20.

- [65] Sánchez N, Herranza M, Benitoa J and Pardosa F (2014). Pycnophyes almansae sp. nov. and Pycnophyeslageria sp. nov., two new homalorhagid kinorhynchs (Kinorhyncha, Homalorhagida) from the Iberian Peninsula, with special focus on introvert features. Marine Biology Research 10(1): 17-36.
- [66] Sánchez N, Pardos F and Sørensen MV (2014). A new kinorhynch genus, Mixtophyes (Kinorhyncha: Homal orhagida), from the Guinea Basin deep-sea,with new data on the family Neocentrophyidae. Helgol Mar Res 68:221–239.
- [67] Schiffer PH, Nsah NA, Grotehusmann H, Kroiher M, Loer C and Schierenberg E (2014). Developmental variations among Panagrolaimid nematodes indicate developmental system drift within a small taxonomic unit. Dev Genes Evol 224:183– 188.
- [68] Semenova LM (2014). The Species Composition and Dist ribution of Ostracods (Crustacea, Ostracoda) in Rockpools on Islands in the Kandalaksha Bay of the White Sea. Inland Water Biology 7(1): 10-14.
- [69] Sharma BK and Sharma S (2014). Indian Lecanidae (Roti fera: Eurotatoria: Monogononta) and its distribution. Intern ational Review of Hydrobiology. 99: 38-47.
- [70] Siveter DJ, Tanaka G, Farrell UC, Martin MJ, Siveter DJ and Briggs DEG (2014).
 Exceptionally Preserved 450-Million-Year-Old Ordovician Ostracods with Brood Care.
 Current Biology 24(7): 801-806.
- [71] Snell TW, Johnston RK, Rabeneck B, Zipperer C and Teat S (2014). Joint inhibition of TOR and JNK path ways interacts to extend the lifespan of Brach ionus manjavacas (Rotifera).Experimental Geron tology 52: 55-69.
- [72] Stalder C, Spezzaferri S, Rüggeberg A, Pirkenseer C and Gennari G (2014). Late Weichselian deglaciation and early Holocene development of a cold-water coral reef along the Lopphavet shelf (Northern Norway)recorded by benthic foraminifera and ostracoda. Deep-Sea Research II 99: 249-269.
- [73] Suárez-morales E and Mckinnon AD (2014). The Aust ralian Monstrilloida (Crustacea:

Copepoda) I. Monstri llopsis Sars, Maemonstrilla Grygier & Ohtsuka, and Australomonstrillopsis gen. nov. Zootaxa 3779: 301-340.

- [74] Sun C, Wyngaard G, Walton DB, Wichman HA and Mueller RL (2014) Billions of basepairs of recently expanded, repetitive sequences are eliminated from the somatic genome during copepod development. BMC Genomics 15:186.
- [75] Tung CH, Cheng YR, Lin CY, Ho JS, Kuo, CH, Yu JK and Su YH (2014). A new copepod with transformed body plan and unique phylogenetic position parasitic in the acorn worm Ptychodera flava. Biological Bulletin 226:69-80.
- [76] Uçak S, Külköylüoğlu O, Akdemir D and Başak E (2014) Distribution, Diversity and Ecological Characteristics of Freshwater Ostracoda (Crustacea) in Shallow Aquatic Bodies of the Ankara Region, Turkey. Wetlands 34:309–324.
- [77] Velasco-Castrillo'n A, Schultz MB, Colombo F, Gibson JAE, Davies KA, Austin AD and Stevens MI (2014). Distri bution and Diversity of Soil Microfauna from East Antar ctica: Assessing the Link between Biotic and Abiotic Fac tors. PLoS ONE 9(1): e87529.
- [78] Velasco-Castrillón A and Stevens MI (2014). Morpholog ical and molecular diversity at a regional scale: A step closer to understanding Antarctic nematode biogeography. Soil Biology & Biochemistry 70: 272 -284.
- [79] Vogedes D, Eiane K, Båtnes AS and Berge J (2014) Variab ility in Calanus spp. abundance on fine- to mesoscales in an Arctic fjord: implications for little auk feeding. Marine Biol ogy Research 10: 437-448.
- [80] Walsh EJ, Smith HA and Wallace RL (2014). Rotifers of temporary waters. International Review of Hydrobiology. 99: 3-19.
- [81] Yamasaki H and Fujimoto S (2014). Two new species in the Echinoderes coulli group (Echinoderidae, Cyclorha gida, Kinorhyncha) from the Ryukyu Islands, Japan. ZooKeys. 382: 27–52.

- [82] Yu T, Huang Y and Xu K (2014). Two new nematode species, *Linhystera breviapophysis* and *L. longiapophysis* (Xyalidae, Nematoda), from the East China Sea . Journal of the Marine Biological Association of the United Kingdom 94(3): 515–520.
- [83] Zarubin M, Farstey V, Wold A, Falk-Petersen S and Genin A (2014) Intraspecific Differences in Lipid Content of Cala noid Copepods across Fine-Scale Depth Ranges within the Photic Layer. PLoS ONE 9(3): e92935.

Collage of 1st mao in Korea



Memories to treasure

INTERNATIONAL ASSOCIATION OF MEIOBENTHOLOGISTS

APPLICATION FOR MEMBERSHIP OR RENEWAL

The International Association of Meiobenthologists is a non-profit scientific society representing meiobenthologists in all aquatic disciplines. The Association is dedicated to the dissemination of information by publishing a quarterly newsletter and sponsoring a triennial International Conference. The newsletter, Psammonalia, is published twice per year (January and June). Membership is open to any person who actively is interested in the study of meiofauna. Annual membership dues are EU\$10 (US\$10) and payment for up to 3 years in advance is possible. New members will receive Psammonalia beginning with the February issue of the year joining. Additional contributions to the **Bertil Swedmark Fund**, used to support student attendance at the triennial conferences, is encouraged.

Please check the appropriate boxes:

New member*	ewing member	Change of address			
Regular membership (EU\$10 or US\$10)] Patron or Sustaining membe	rship (EU\$50 orUS\$50)			
Please send my copy of Psammonalia via:	Air mail (hard copy)	Email			
Name	Email address				
Address	Telephone				
	FAX				
	City, St/Prov				
Zip/Postal Code	Country				
EU/US \$ enclosed for years.	(Regular member EU/US\$10,	Sustaining EU/US\$50)			
EU/US \$ enclosed as contribution to the Bertil Swedmark Fund .					
EU/US \$ TOTAL					
North American Members: Dues payable in US dollars by check made payable to the Intl. Assoc. of Meiobenthologists. Send dues and application to: Dr. Robert Feller, Baruch Institute, University of South Carolina, Columbia, SC 29208 USA.					
All Other Members: Dues payable in Euros by check made payable to Ann Vanreusel or by credit card (see below). Send dues and application to: Dr. Ann Vanreusel, Marine Biology Section, Ledeganckstraat 35, B-9000 Gent, BELGIUM.					
VISA/MASTER/EUROCARD number:	E	xpiry date:			
Signature:					
Interests:					

(*) New members are encouraged to introduce yourself to members in a short bio (ca. 10 lines).